

Safety Data Sheet

santex destainer

01

Chemical Product and Company Identification Product Name
Product Use
Product Code

Santex Destainer Laundry Bleach Powder

3872

Call 'Chemtrec' 1-800-424-9300

Supplier's Information Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification

Emergency Overview

For Medical Emergency

Signal Word: Danger

Hazarad Statement: Fatal if inhaled. Harmful is swallowed.

*Hazard Determination System (HDS):

Health Reactivity Flammability

0

Page: 1 of 3

Acute Effects

Eyes: Severely corrosive to the eyes. Causes severe burns. Eye exposure may cause severe and permanent eye injury (blindness).

Skin: Severely irritating to the skin. Direct contact with wet material or moist skin may cause severe irritation. **Inhalation:** Inhalation of dust may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath.

Ingestion: Harmful or fatal if swallowed. May cause burns to mouth, throat and stomach.

Chronic Effects

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT. %
Sodium Chloride	7647-14-5	30-50
Sodium Dichloroisocyanurate Dihydrate	51580-86-0	20-30
Sodium Carbonate	497-19-8	15-25
Sodium Tripolyphosphate	7758-29-4	1-4

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the uppper and lower eyelids. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately. **Inhalation:** Move exposed person to fresh air. Flush mouth and nasal passages with water repeatedly. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

05

Fire Fighting Measures Suitable Fire Extinguishing Media: Flood with water.

Specific Hazards Arising from the Chemical: None

Hazardous Thermal Decomposition Products: Carbon oxides (CO, CO₂), phosphorus oxides, chlorine, nitrogen, nitrogen trichloride.

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

^{*}NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.



Safety Data Sheet

santex destainer

Page: 2 of 3

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing dust. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Contains moisture-sensitive material. Store in a dry place. Do not store in unlabeled containers. Keep out of the reach of children.

Exposure Controls/ Personal Protection

Ingredient Name Exposure Limits

OSHA PEL TWA 5 mg/m3, Form: Dust Sodium Carbonate

Sodium Dichloroisocyanurate Dihydrate OSHA ceiling 3 mg/m³

Personal Protective Equipment (PPE)

Eyes: Safety glasses, splash goggles.

Skin: Wear appropriate protective clothing to prevent skin contact. Wear apron or overall if there is a risk of exposure to spills.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

None

Respiratory: If dust is generated and ventilation is inadequate, use respirator that will protect against dust/mist.

Physical and Chemical **Properties**

Physical State Granular Powder

Color White Odor Bland

Ha 10 (1% solution)

Flash point **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** Not available Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 75 lb./ft3

Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/water Not available **Auto-ignition temperature** Not available Not available **Decompostion temperature Odor threshold** Not available

Stability and Reactivity

Stability: The product is stable.

Possibilty of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

Conditions to avoid: Do not get water inside container.

Materials to avoid: Acids, ammonia, bases, reducing agents, organic solvents and compounds. Hazardous decomposition products: Chlorine, nitrogen, cyanogen chloride, phosphorous oxides.



Safety Data Sheet santex destainer

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Sodium Carbonate Sodium Tripolyphosphate Sodium Chloride Sodium Dichloroisocyanurate Dil	L[L[L[esult D50 Oral D50 Oral D50 Oral D50 Oral	Species Rat Rat Rat Rat	Dose 4090 mg/kg 3120 mg/kg 3000 mg/kg 1823 mg/kg				
12	Ecological Information	N/A								
13	Disposal Considerations	Waste Information Waste must be disposed of in Consult your local or regional at				vironmental con	rol regul:	ations.		
14	Transport Information	Regulatory Information DOT Classification	UN Number UN3077	environm substanc	Shipping Nan entally hazard e, solid, Sodiu socyanurate Di	ous 9 m	PG*	Label		
		Note: DOT classification applies exceptions, refer to the bill of lad PG*: Packing Group			cific container s	size classifications	or size			
15	Regulatory Information									
		SARA 313 Form R-Reporting requirements	Product no No listed su				<u>Concentration</u>			
16	Ecological Information	To the best of our knowledge, the supplier nor any of its subsidial information contained herein. Final determination of suitability	ries assumes any y of any material	liability what	soever for the	accuracy of con the user. All mate	npletenes rials may	s of the		

unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot

guarantee that these are the only hazards that exist.

Date of Issue: 12/30/2014