

SDS Revision Date: 05/19/2015

1. Identification

1.1. Product identifier

Product Identity Treatment 3093
Alternate Names Treatment 3093

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useFabric Sanitizer/MildewcideApplication MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gurtler Industries, Inc.

15475 South LaSalle St. South Holland, IL 60473 US

Emergency

24 hour Emergency Telephone No. (708) 331-2550

Customer Service: Gurtler Industries, Inc. INFOTRAC - (800) 535-5053

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 3;H226 Flammable liquid and vapor.

Acute Tox. 4;H302 Harmful if swallowed.

Skin Corr. 1B;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking. P235 Keep cool.



SDS Revision Date: 05/19/2015

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

P391 Collect spillage.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
1-Decanaminium, N-decyl-N,N-dimethyl-, chloride CAS Number: 0007173-51-5	25 - 50	Acute Tox. 4;H302 Skin Corr. 1B;H314 Eye Dam. 1;H318	[1]
Ethanol CAS Number: 0000064-17-5	10 - 25	Flam. Liq. 2;H225	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date: 05/19/2015

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person. Probable mucosal damage may contraindicate the use of gastric lavage. Appropriate treatment to help protect the affected person against circulatory shock, respiratory depression, and convulsion may be needed.

Take container, label or product name and Pest Control product Registration Number or

EPA Number with you when seeking medical attention.

Inhalation Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

Eyes Flush with cool water. Remove contact lenses, if applicable, and continue flushing for at

least 15 minutes. Obtain medical attention.

Skin Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison

control center or doctor. Do not give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Overview POISON

CORROSIVE

KEEP OUT OF REACH OF CHILDREN

Fatal if swallowed. Corrosive to eyes and skin. Do not get in eyes, on skin or clothing. Avoid contamination of food. When handling this concentrate wear goggles or a face shield, chemical-resistant gloves, long pants, a long-sleeved shirt, and

shoes plus socks. Wear dust mist respirator if mist is generated.

Routes of Exposure: Eye, Skin contact, Inhalation, Ingestion.

Inhalation: Can cause severe respiratory irritation.

Skin: Corrosive to skin.

Eyes: Corrosive to eyes.

Ingestion: Toxic. Harmful or fatal if swallowed. Ingestion causes burns of the upper

digestive and respiratory tracts

Target organs: Blood. Eyes. Liver. Respiratory system. Skin.

Chronic effects: Prolonged or repeated exposure can cause drying, defatting and

dermatitis.

Signs and symptoms: Symptoms are prostration, gasping, pallor, and uncoordinated movements. Symptoms may include redness, edema, drying, defatting, and cracking of the

skin.

Exposure to solvent vapor concentrations from the component solvents in excess of the



SDS Revision Date: 05/19/2015

stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Eyes Causes serious eye damage.

Skin Causes severe skin burns and eye damage.

Ingestion Harmful if swallowed.

5. Fire-fighting measures

5.1. Extinguishing media

Carbon dioxide (CO2), foam, dry chemical, water spray

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon oxides, nitrogen oxides, hydrogen chloride

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Personal precautions: Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective space clothing. Keep people away from and upwind of spill/leak.



SDS Revision Date: 05/19/2015

Environmental precautions: Do not discharge into lakes, streams, ponds or public waters.

Methods for containment: Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up: Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and storage

7.1. Precautions for safe handling

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use good industrial hygiene practices in handling this material. Do not get this material in eyes, on skin, or on clothing. Keep out of reach of children.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Naked flames and smoking should not be permitted in storage areas. It is recommended that fork lift trucks and electrical equipment are protected to the appropriate standard.

Do not store at temperatures above 120F (49C). Keep from freezing. Store in a closed container away from incompatible materials.

Incompatible materials: Oxidizing or reducing agents.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA TWA 1000 ppm (1900 mg/m3)	
		ACGIH	STEL: 1000 ppm Revised 2009,
		NIOSH	TWA 1000 ppm (1900 mg/m3)
		Supplier	No Established Limit
0007173-51-5	1-Decanaminium, N-decyl-N,N-dimethyl-,	OSHA	No Established Limit



SDS Revision Date: 05/19/2015

chloride	ACGIH	No Established Limit
	NIOSH	No Established Limit
	Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0007173-51-5	1-Decanaminium, N-decyl-N,N-	OSHA	Select Carcinogen: No
dimethyl-, chloride		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Eyes Chemical goggles/splash shield required.

Skin As required by employer code. Wear rubber gloves.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Colorless to Light Straw Liquid

Odor Ethanol

Odor threshold

pH

6-8 (10% solution)

Melting point / freezing point

Initial boiling point and boiling range

Not Measured

Not Measured

Flash Point 129.92F (54.4C) Pensky-Martens Closed Cup

Evaporation rate (Ether = 1) Not Measured
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)Not MeasuredVapor DensityHeavier than air



SDS Revision Date: 05/19/2015

Specific Gravity0.91-0.94Solubility in WaterSoluble

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot MeasuredViscosity (cSt)Not Measured

VOC Content 50

Molecular Weight 361.0000

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

DO NOT use in conjunction with soap or any anionic wetting agent. This product should not be used or compounded with any reducing or oxidizing agents (such as calcium hypochlorite, solid perchlorate or nitric acid) since such mixtures may be explosive.

10.4. Conditions to avoid

Avoid high temperatures. Do not mix with other chemicals. Corrosive to metals.

10.5. Incompatible materials

Oxidizing or reducing agents.

10.6. Hazardous decomposition products

Carbon oxides, nitrogen oxides, hydrogen chloride

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50,	Skin LD50,	Inhalation	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LC50,	Dust/Mist LC50,	Gas LC50,



SDS Revision Date:

05/19/2015

			mg/L/4hr	mg/L/4hr	ppm
1-Decanaminium, N-decyl-N,N-dimethyl-, chloride - (7173-51-5)	No data available	No data available	No data available	No data available	No data available
Ethanol - (64-17-5)	7,060.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
1-Decanaminium, N-decyl-N,N-dimethyl-, chloride - (7173-51-5)	Not Available	Not Available	Not Available
Ethanol - (64-17-5)	42.00, Oncorhynchus mykiss	2.00, Daphnia magna	17.921 (96 hr), Ulva pertusa

12.2. Persistence and degradability

There is no data available on the preparation itself.



SDS Revision Date: 05/19/2015

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1903	UN1903	UN1903
14.2. UN proper shipping name	UN1903, Disinfectants, corrosive liquid, N.O.S.,8, II, (Didecyl dimethyl ammonium chloride)	Disinfectants, corrosive liquid, N.O.S.,8, II, (Didecyl dimethyl ammonium chloride)	Disinfectants, corrosive liquid, N.O.S.,8, II, (Didecyl dimethyl ammonium chloride)
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: 8Sub Class: Not Applicable	Air Class: 8
14.4. Packing	II	II	II

14.5. Environmental hazards

group

IMDG Marine Pollutant: Yes (1-Decanaminium, N-decyl-N,N-dimethyl-, chloride)

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No.



SDS Revision Date:

05/19/2015

Reactive: No Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Ethanol

Pennsylvania RTK Substances (>1%):

Ethanol

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document