

# Safety Data Sheet

## resolve fifteen

Page: 1 of 3

Chemical **Product** and Company Identification **Product Name** Fifteen

**Product Use Encapsulated Machine Dish Detergent** 

**Product Code** 3522

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

**Supplier's Information** Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

**Hazards** Identification **Emergency Overview** 

Signal Word: Danger

Hazarad Statement: Fatal if inhaled. Harmful is swallowed.

\*Hazard Determination System (HDS):

Health Reactivity **Flammability** 

0

#### **Acute Effects**

Eyes: Severely corrosive to the eyes. Causes severe burns. Eye exposure may cause severe and permanent eye injury (blindness).

**Skin:** Severely irritating to the skin. Direct contact with wet material or moist skin may cause severe irritation. **Inhalation:** Inhalation of dust may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath.

**Ingestion:** Harmful or fatal if swallowed. May cause burns to mouth, throat and stomach.

**Chronic Effects** 

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT.%
Sodium Tripolyphosphate	7758-29-4	25-35
Sodium Carbonate	497-19-8	20-30
Caustic Soda Beads	1310-73-2	20-30
Sodium Metasilicate	10213-79-3	5-10
Alcohols, C <sub>6</sub> -10, Ethoxylated Propxylated	68987-81-5	1-5
Sodium Dichloroisocyanurate Dihydrate	51580-86-0	5-10
Polyacrylic Acid, Sodium Salt	68479-09-4	1-5

First Aid Measures Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the uppper and lower eyelids. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately. Inhalation: Move exposed person to fresh air. Flush mouth and nasal passages with water repeatedly. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

Fire Fighting Measures

Suitable Fire Extinguishing Media: Flood with water.

Specific Hazards Arising from the Chemical: None

Hazardous Thermal Decomposition Products: Carbon oxides (CO, CO<sub>o</sub>), phosphorus oxides, chlorine, nitrogen, nitrogen trichloride.

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Specific Protective Equipement for Fire-Fighters: Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Accidental** Release Measures

Spill Clean Up: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.



## Safety Data Sheet

## resolve fifteen

Page: 2 of 3

07

Handling and Storage

**Handling:** Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Avoid breathing dust. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

**Storage:** Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Contains moisture-sensitive material. Store in a dry place. Do not store in unlabeled containers. Keep out of the reach of children.

08

Exposure Controls/ Personal Protection <u>Ingredient Name</u> <u>Exposure Limits</u>

Sodium Carbonate OSHA PEL TWA 5 mg/m³, Form: Dust

Caustic Soda Beads
OSHA ceiling 2 mg/m³
Sodium Dichloroisocyanurate Dihydrate
OSHA ceiling 3 mg/m³

Sodium Metasilicate OSHA PEL TWA 15 mg/m³, Form: Dust

#### **Personal Protective Equipment (PPE)**

Eyes: Safety glasses, splash goggles.

**Skin:** Wear appropriate protective clothing to prevent skin contact. Wear apron or overall if there is a risk of

exposure to spills.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory: If dust is generated and ventilation is inadequate, use respirator that will protect against dust/mist.

09

Physical and Chemical Properties

Physical State Granular Powder

ColorWhiteOdorFaint ChlorinepH12.5 (1% solution)

Flash point None **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available **Boiling point** Not available Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 75 lb./ft3

**Solubility** Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/waterNot availableAuto-ignition temperatureNot availableDecompostion temperatureNot availableOdor thresholdNot available

10

Stability and Reactivity

Stability: The product is stable.

**Possibilty of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Do not get water inside container. Excessive heat and moisture.

**Materials to avoid:** Acids, ammonia, bases, reducing agents, organic solvents and compounds, strong oxidizing agents.

Hazardous decomposition products: Chlorine, nitrogen, cyanogen chloride, phosphorous oxides.



# Safety Data Sheet resolve fifteen

Page: 3 of 3

11 Toxicological Information	Product /Ingredient Name Sodium Carbonate Sodium Tripolyphosphate Caustic Soda Beads Sodium Metasilicate Alcohols, C <sub>6</sub> -10, Ethoxylated Propxylated Sodium Dichloroisocyanurate Dihydrate Polyacrylic Acid, Sodium Salt	Result LD50 Oral	Species Rat Rat Rabbit Rat Rat Rat Rat Rat Rat	Dose 4090 mg/kg 3120 mg/kg 500 mg/kg 960-3980 mg/kg 2000-5000 mg/kg 1823 mg/kg > 5000 mg/kg
12 Ecological Information	N/A			
13 Disposal Considerations	Waste Information Waste must be disposed of in accordanc Consult your local or regional authorities for			nvironmental control regulations.

14	Transport Information	Regulatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	
	imormation	DOT Classification	UN3262	corrosive solids, basic, inorganic, n.o.s. (sodium hydroxide)	8	III		
		When product sold in 9 lb. jars DOT not regulated.						
		<b>Note:</b> DOT classification applies to most package sizes. For specific container size classifications or size exceptions, refer to the bill of lading with your shipment. <b>PG*:</b> Packing Group						
15	Regulatory Information	U.S. Federal Regulations TSCA 8(b) inventory: All con SARA 302/304/311/312 ext SARA 302/304 emergency	remely hazardou	s substances: No listed substa	nce			

SARA 313 Product name CAS number Concentration
Form R-Reporting requirements No listed substance

16 Ecological Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of Issue: 1/06/2015