

Safety Data Sheet

resolve four

Page: 1 of 3

2

0

1

01

Chemical Product and Company Identification Product Name Four

Product Use Presoak /Pot Cleaner

Product Code 3506

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

Supplier's Information Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification **Emergency Overview**

*Hazard Determination System (HDS):

Signal Word: Warning

Hazarad Statement: May cause skin irritation

Health
Reactivity
Flammability

Acute Effects

Eyes: Eye irritant. May cause redness or swelling. **Skin:** Skin may become overly dry with repeated contact.

Inhalation: Brief exposure (e.g. several minutes) unlikely to cause adverse effects.

Ingestion: May be irritating to the mouth, throat and gastrointestinal system. Symptoms may include nausea,

vomiting, diarrhea and cramps.

Chronic Effects

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT.%
Nonylphenol Ethoxylate	127087-87-0	15-20
Ethylene Glycol Monobutyl Ether	111-76-2	5-7
Sodium Xylene Sulfonate	1300-72-7	2-3
Sodium Hydroxide	1310-73-2	1-2
Silicic Acid, Sodium Salt	1344-09-8	1-2
Triethanolamine	102-71-6	1-2

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention if symptoms persist.

Skin Contact: Wash skin with copious amounts of water. If symptoms persist seek medical attention.

Inhalation: Remove to fresh air. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Drink copius amounts of water. Seek medical attention immediately.

05

Fire Fighting Measures Suitable Fire Extinguishing Media: Use water spray, fog or foam

Specific Hazards Arising from the Chemical: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Thermal Decomposition Products: No Specific Data

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.



Safety Data Sheet

resolve four

Page: 2 of 3

07

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

08

Exposure Controls/ Personal Protection **Ingredient Name**

Exposure Limits

Ethylene Glycol Monobutyl Ether Sodium Hydroxide

OSHA PEL 50 ppm OSHA PEL 0.5 ppm

Personal Protective Equipment (PPE)

Eyes: Safety glasses.

Skin: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Body: For prolonged or repeated handling, use gloves. Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory: Use with adequate ventilation. A respirator is not needed under normal and intended conditions of

product use.

09

Physical and Chemical Properties

Physical State Clear liquid Color Red

Organic Odor Odor рΗ 12.0-12.4 Flash point > 150°F **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available Not available **Boiling point** Evaporation rate (butyl acetate = 1) Not available Vapor pressure Not available Vapor density Not available Relative density 1.03 (Water = 1)

Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/water
Auto-ignition temperature
Decompostion temperature
Odor threshold

Not available
Not available
Not available

Viscosity Kinematic (room temperature): ≤10 cSt (CPS)

10

Stability and Reactivity

Stability: The product is stable.

Possibilty of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

Materials to avoid: Strong oxidizers, strong acids.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition should not be produced.



Safety Data Sheet

resolve four

Page: 3 of 3

11 Toxicological Information	Product /Ingredient Name Nonylphenol Ethoxylate	Result LD50 Oral	Species Rat	Dose 2000 mg/kg	
	Ethylene Glycol Monobutyl Ether	LD50 Oral	Rat	1746 mg/kg	
	Sodium Xylene Sulfonate	LD50 Oral	Rat	2500 mg/kg	
	Sodium Hydroxide	LD50 Oral	Rat	960 - 3980 mg/kg	
	Silicic Acid, Sodium Salt	LD50 Oral	Rat	1960 mg/kg	
	Triethanolamine	LD50 Oral	Rat	6400 mg/kg	

12 Ecological Information

N/A

13 Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

14 Transport Information

Regulatory Information UN Number Proper Shipping Name Classes PG* Label

DOT Classification not regulated - -

Note: DOT classification applies to most package sizes. For specific container size classifications or size

exceptions, refer to the bill of lading with your shipment.

PG*: Packing Group

15 Regulatory Information

U.S. Federal Regulations

TSCA 8(b) inventory: All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

SARA 313 Product name CAS number Concentration

Form R-Reporting requirements No listed substance

16 Ecological Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of Issue: 11/04/2014