

Safety Data Sheet

craft detergent

Page: 1 of 3

01

Chemical Product and Company Identification Product Name Craft Detergent

Product Use Concentrated Built Detergent

Product Code 3292

For Medical Emergency Call 'Chemtrec' 1-800-424-9300

Supplier's Information Santec Inc.

1420 East Linden Avenue, Linden NJ 07036

02

Hazards Identification

Emergency Overview

*Hazard Determination System (HDS):

Signal Word: Danger

Hazarad Statement: Causes severe skin burns and eye damage.

Health 3
Reactivity 0
Flammability 0

Acute Effects

Eyes: Severely corrosive to the eyes. Causes severe burns. Eye exposure may cause severe and permanent eye injury (blindness).

Skin: Severely corrosive to the skin. Causes severe burns. The amount of tissue damage depends on length of contact. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering.

Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Inhalation of the spray or mist may produce severe irritation of respiratory tract, characterized by coughing, choking or shortness of breath.

Ingestion: Toxic if swallowed. May cause burns to mouth, throat and stomach. May be fatal is swallowed.

Chronic Effects

Carcinogenicity: No known critical effets or citical hazards.

Product /Ingredient Name: Not available.

03

Composition/ Information on Ingredients

Name of Hazardous Ingredients	CAS No.	WT.%
Sodium Hydroxide	1310-73-2	20-30
Nonylphenol Ethoxylate	127087-87-0	5-10
Polyacrylic Acid, Sodium Salt	68479-09-4	1-2
Acrylic Polymer	Proprietary	0-1

04

First Aid Measures **Eye Contact:** Check for and remove any contact lenses. Flush with large quantities of water, holding eyelids open for 15 minutes. Seek medical attention immediately.

Skin Contact: Wash skin with copious amounts of water. Seek medical attention immediately.

Inhalation: Remove to fresh air. Seek medical attention immediately.

Ingestion: Do not induce vomiting. Drink copius amounts of water. Seek medical attention immediately.

05

Fire Fighting Measures Suitable Fire Extinguishing Media: Use water spray, fog or foam

Specific Hazards Arising from the Chemical: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Thermal Decomposition Products: Decomposition products may include following materials; Carbon Dioxides, Carbon Monoxides.

Specific Fire-Fighting Methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Specific Protective Equipment for Fire-Fighters:** Fire-Fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

06

Accidental Release Measures **Spill Clean Up:** Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move Containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimum hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.



Safety Data Sheet

craft detergent

Page: 2 of 3

07

Handling and Storage

Handling: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. Wash thoroughly after handling.

Storage: Store between the following temperatures: 4.44 to 48.9°C (40 to 120°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

08

Exposure Controls/ Personal Protection

Ingredient Name Sodium Hydroxide Exposure Limits
OSHA PEL 2 mg/m³

Personal Protective Equipment (PPE)

Eyes: Splash goggles or face shield.

Skin: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Body: Face shield, full suit, vapor respirator, boots and gloves.

Respiratory: A self contained breathing apparatus should be used to avoid inhalation of product. Be sure to use

an approved /certified respirator or equivalent.

09

Physical and Chemical Properties

Physical State Opaque viscous liquid

Color Milky White Bland Odor рΗ \geq 13 Flash point None **Explosion limits** Not available Flammability (solid, gas) Not available **Melting point** Not available >100°C (212F) **Boiling point** Evaporation rate (butyl acetate = 1) Not available

 Vapor pressure
 Not available

 Vapor density
 Not available

 Relative density
 1.30 (Water = 1)

 Solubility
 Essilve all the interest

Solubility Easily soluble in the following materials: cold water and hot water

Partition coefficient n-octano/waterNot availableAuto-ignition temperatureNot availableDecompostion temperatureNot availableOdor thresholdNot available

Viscosity Kinematic (room temperature): 200-250 cSt (CPS)

10

Stability and Reactivity

Stability: The product is stable.

Possibilty of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Strong acids.

Materials to avoid: Reactive with oxidizing agents, reducing agents, metals, acids.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition should not be produced. If heated, see secion 05.



Safety Data Sheet craft detergent

Page: 3 of 3

11	Toxicological Information	Product /Ingredient Name Sodium Hydroxide Nonylphenol Ethoxylate Polyacrylic Acid, Sodium Salt Acrylic Polymer	Result LD50 Oral LD50 Oral LD50 Oral LD50 Oral	Species Rat Rat Rat Rat	Dose 500 mg/kg 960 - 3980 >5000 mg/kg	kg		
12	Ecological Information	N/A						
13	Disposal Considerations	Waste Information Waste must be disposed of in Consult your local or regional at				nmental cont	trol regu	lations.
14	Transport Information	Regulatory Information	UN Number	Proper Ship		Classes	PG*	Label
		DOT Classification	UN3266	Corrosive liquinorganic, n.c (sodium hydro).S.	8	III	
		Note: DOT classification applies exceptions, refer to the bill of lad PG*: Packing Group			container size o	classifications	or size	
15	Regulatory Information	U.S. Federal Regulations TSCA 8(b) inventory: All comp SARA 302/304/311/312 extre SARA 302/304 emergency p	emely hazardous	substances: N		nce		
		SARA 313 Form R-Reporting requirements	Product name		S number	Cond	Concentration	
16	Ecological Information	To the best of our knowledge, the supplier nor any of its subsidial information contained herein. Final determination of suitability unknown hazards and should be	ries assumes any li y of any material is e used with caution	ability whatsoev the sole respons	ver for the acc	uracy of conuser. All mate	npletene: rials may	ss of the y present

guarantee that these are the only hazards that exist.

Date of Issue: 11/10/2014