

(800) 638-7300

Material Safety Data Sheet

Page 1 of 3
Print Date 4/22/2013

FOR SURE P/F

Gurtler Industries, Inc. 15475 South LaSalle Street South Holland, IL 60473 (708) 331-2550 In Case Of Emergency (24 hours) INFOTRAC (800) 535-5053

For Information (708) 331-2550

SECTION 1 - IDENTIFICATION

COMPANY NAME: Gurtler Industries, Inc.

15475 South LaSalle Street

South Holland, IL 60473

PHONE NUMBER: 708-331-2550

EMERGENCY NUMBER: INFOTRAC (800) 535-5053 - 24 Hours Everyday

EFFECTIVE DATE: 8/10/12

PREPARED BY: Technical Service
TRADE NAME: For Sure P/F
GENERAL USE: Laundry Detergent

SECTION 2 - INGREDIENT INFORMATION

OSHA HAZARDOUS COMPONENTS (29CFR1910.1200)	CAS REGISTRY NO.	PEL (OSHA)	TLV (ACGIH) HAZARDOUS % (Units)
Silicic Acid, disodium salt Nuisance Dust	6834-92-0 None	2 mg/m ³ 15 mg/m ³ – Total dust 5 mg/m ³ – Respiratory dust	2 mg/m ³ (evaluated as NaOH) 10 mg/m ³ – Total dust 3 mg/m ³ – Respiratory dust
Sodium carbonate	497-19-8	N.E.	N.E.
Nonylphenolethoxylate	9016-45-9	N.E.	N.E.
Naptha solvent (petroleum) (Light Aromatic)	64742-95-6	N.E.	N.E.

This product is not subject to the toxic chemical reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

SECTION 3 - HEALTH HAZARD DATA

Hazard Rating Scale	0-None 1-S		ION SYSTEM (H.M.I.S.) HAZARD RA 2-Moderate	TINGS
HMIS Health (Acute)		HMIS Fla	mmability1	
Appearance and OdorSigns/Symptoms of Overexposure.	Off-white powder Contact with eyes	with little of very irrita	CY OVERVIEW odor. ating and may cause corneal damage. anes and upper respiratory tract.	Dust and mists are irritating
	EFFECT:	S OF ACU	JTE OVEREXPOSURE	
Routes of Entry	(X) Skin	Respirato Irritant/co Corrosive		
Inhalation	,	O .	zing or further symptom of upper respir sue may occur due to overexposure	atory tract irritation.



FOR SURE P/F

Page 2 of 3 Material Safety Data Sheet Print Date 4/22/2013 stomach. Acute overexposure can cause burns or severe irritation. Possible deep ulceration and ultimate scarring. Medical Conditions Generally **SECTION 4 - FIRST AID MEASURES** IN CASE OF EYE CONTACT Immediately wash with copious amounts of water for 15 minutes. Seek medical attention. IN CASE OF SKIN CONTACT Wash affected area with soap and water. Remove contaminated clothing and wash before reuse. **SECTION 5 - FIREFIGHTING MEASURES** Flash Point N.E. Lower Flame Limit......N/A Higher Flame LimitN/A Extinguish Media.......Water spray, dry chemical, CO₂, or foam. Special ProceduresProtective clothing for skin and eye protection should be worn to protect against alkaline chemicals. Unusual Fire Hazards Avoid contact with acidic materials as large volumes of carbon dioxide gas and heat are released. Addition of water creates some heat. **SECTION 6 - ACCIDENTAL RELEASE MEASURES** systems. Spills should be shoveled up for reuse or disposal. Neutralize residual with diluted acid, flush spill area with water and cover with sodium bicarbonate. Dispose of wash water and spill by-products in accordance with all local, state and federal regulations. fill in accordance with all local, state and federal environmental regulations. **SECTION 7 - HANDLING AND STORAGE**

Do not store close to acids. Wear eye protection and NIOSH/MSHA approved dust respirator to prevent irritation where excessive dust is present.

SECTION 8 - PERSONAL PROTECTION

Respiratory Protection.......NIOSH/MSHA approved dust respirator where dust levels exceed TLV levels. Ventilation Local Exhaust: As required to reduce dust levels below TLV levels. Mechanical: Recommended. Protective Gloves Rubber to minimize skin contact

Eye Protection.......Chemical goggles

Other Protective Equipment Standard work clothes should be worn.

Work/Hygienic Practices Have eye wash apparatus nearby when handling.



FOR SURE P/F

Material Safety Data Sheet

Page 3 of 3 Print Date 4/22/2013

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
Boiling Point	N/A	Freezing Point (F)N/A		
Volatility/Vol (%)		Melting PointN/A		
Evaporation Rate	N/A	Vapor Density (Air=1)N/A		
Solubility in H ₂ O	Moderate	Specific Gravity (H ₂ 0=1)N/A		
	SECTION	ON 10 - STABILITY AND REACTIVITY		
Chemical Stability	Stable			
Conditions to Avoid				
Incompatible Materials	Acids; strong creates some	oxidizing agents; halides, alumninum, zinc and tin metals;addition of water heat.		
Decomposition Products	generated; ox can generate	de, carbon monoxide, small volumes of aldehydes, acids and ketone may be kides of sulfur, SO ₃ , unidentified organic compounds. Thermal decomposition sodium oxide Na ₂ O fumes. Reacts with aluminum, zinc, tin and their alloys with lammable and explosive hydrogen gas.		
Hazardous Polymerization	Will not occur	1		

For help in a chemical transportation emergency, call INFOTRAC: 1-800-535-5053

DISCLAIMER:

The information in this MSDS was obtained from sources which we believe to be reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION, OR WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS ACCURACY OR CORRECTNESS.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control.

FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.