

1. Identification

1.1. Product identifier

Product Identity For Sure P/F

Alternate Names For Sure P/F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Laundry Detergent

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gurtler Industries, Inc.
15475 South LaSalle St.
South Holland, IL 60473 US

Emergency

24 hour Emergency Telephone No. (708) 331-2550

Customer Service: Gurtler Industries, Inc. INFOTRAC - (800) 535-5053

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 5;H303	May be harmful if swallowed. (Not adopted by US OSHA)
Skin Corr. 1B;H314	Causes severe skin burns and eye damage.
Eye Dam. 1;H318	Causes serious eye damage.
STOT SE 3;H335	May cause respiratory irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Disodium metasilicate CAS Number: 0006834-92-0	25 - 50	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
Sodium carbonate CAS Number: 0000497-19-8	25 - 50	Eye Irrit. 2;H319	[1]
Nonylphenol polyethoxylate CAS Number: 0009016-45-9	1.0 - 10	Eye Dam. 2A;H319 Skin Irrit. 2;H315 Aquatic Chronic 2;H411 Acute Tox. 4;H302	[1][3]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove from exposure. If discomfort persists, obtain medical attention.
Eyes	Flush with cool water. Remove contact lenses, if applicable, and continue flushing for at least 15 minutes. Obtain medical attention.
Skin	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Ingestion	Drink large quantities of water to dilute. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview

Acute Over Exposure Effects:

Routes of Entry: Inhalation, Skin, Ingestion

Inhalation: May cause coughing, sneezing, or further symptoms of upper respiratory tract irritation. Corrosive effects to lung tissue may occur due to overexposure

Skin: Can irritate skin. May be corrosive if not washed off immediately

Eye: Can cause permanent corneal damage.

Ingestion: Corrosive to mucous membranes of the mouth, throat, esophagus and stomach. Acute overexposure can cause burns or severe irritation. Possible deep ulceration and ultimate scarring.

Medical Conditions Generally Aggravated by Exposure: respiratory tract illnesses may be aggravated by exposure.

See section 2 for further details.

Inhalation	May cause respiratory irritation.
Eyes	Causes serious eye damage.
Skin	Causes severe skin burns and eye damage.
Ingestion	May be harmful if swallowed. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Carbon dioxide (CO₂), foam, dry chemical, water spray

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon dioxide, carbon monoxide, small volumes of aldehydes, acids and ketone may be generated; oxides of sulfur and unidentified organic compounds.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Protective clothing for skin and eye should be worn to protect against alkaline chemicals.

Avoid contact with acidic materials as large volumes of carbon dioxide gas and heat are released. Addition of water creates some heat.

Firefighters should wear full protective clothing including self-contained breathing apparatus.



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

If material is spilled, steps should be taken to prevent direct discharge to streams or sewer systems. Spills should be shoveled up for reuse or disposal. Neutralize residual with diluted acid, flush spill area with water and cover with sodium bicarbonate. Dispose of wash water and spill by-products in accordance with all local, state and federal regulations.

Waste Disposal Method: If material cannot be salvaged, the preferred method of disposal is in a secure chemical land fill in accordance with all local, state and federal environmental regulations.

7. Handling and storage

7.1. Precautions for safe handling

Do not get in eyes, on skin or on clothing. Do not take internally. Wear eye protection and NIOSH/MSHA approved dust respirator to prevent irritation where excessive dust is present.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Acids, strong oxidizing agents. Addition of water creates some heat.

Do not store close to acids. Avoid moisture to avoid caking.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

Exposure

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m ³ PEL 2mg/m ³
0009016-45-9	Nonylphenol polyethoxylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³ (50 mppcf*) TWA, ACGIH 10 mg/m³.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0009016-45-9	Nonylphenol polyethoxylate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

NIOSH/MSHA approved dust respirator where dust levels exceed TLV levels.

Eyes

Chemical goggles/splash shield required.

Skin

Protective clothing should be selected. Wear rubber gloves.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Ensure showers and eyewash stations are available. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

9. Physical and chemical properties

Appearance	Granular powder
Odor	Not Measured
Odor threshold	Not determined
pH	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured
Solubility in Water	Moderate
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

Strong Oxidizers

10.4. Conditions to avoid

Do not mix with other chemicals.

10.5. Incompatible materials

Acids, strong oxidizing agents. Addition of water creates some heat.

10.6. Hazardous decomposition products

Carbon dioxide, carbon monoxide, small volumes of aldehydes, acids and ketone may be generated; oxides of sulfur and unidentified organic compounds.



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Sodium carbonate - (497-19-8)	4,090.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Nonylphenol polyethoxylate - (9016-45-9)	2,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Sodium carbonate - (497-19-8)	300.00, Lepomis macrochirus	265.00, Daphnia magna	242.00 (72 hr), Freshwater Algae
Nonylphenol polyethoxylate - (9016-45-9)	1.30, Lepomis macrochirus	4.80, Daphnia pulex	12.00 (96 hr), Pseudokirchneriella subcapitata

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN3262	UN3262	UN3262
14.2. UN proper shipping name	UN3262, Corrosive Solid, Basic, inorganic, mixture, N.O.S., 8, II, (disodium trioxosilicate, anhydrous)	Corrosive Solid, Basic, inorganic, mixture, N.O.S., 8, II, (disodium trioxosilicate, anhydrous)	Corrosive Solid, Basic, inorganic, mixture, N.O.S., 8, II, (disodium trioxosilicate, anhydrous)
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: 8 Sub Class: Not Applicable	Air Class: 8
14.4. Packing group	II	II	II
14.5. Environmental hazards			



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

US EPA Tier II Hazards

Fire: No
Sudden Release of Pressure: No
Reactive: No
Immediate (Acute): Yes
Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our



Safety Data Sheet For Sure P/F

SDS Revision Date:

05/19/2015

products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document