

ISSUE DATE: September 2013 REVISION DATE: January 2022 VERSION: 1

1. IDENTIFICATION

PRODUCT IDENTIFIER
PRODUCT NAME BLUE BANDIT

OTHER MEANS OF IDENTIFICATION

Product Code E6-LO

Recommended Uses Low Acid Bowl Cleaner

SDS-SUPPLIER INFORMATION

E-ZOIL Products, Inc.

SUPPLIER ADDRESS DBA Emulso

2750 Kenmore Avenue Tonawanda, NY 14150

EMERGENCY TELEPHONE NUMBER

COMPANY PHONE NUMBER (716) 854-2889 **COMPANY FAX NUMBER** (716) 854-2809

24-HOUR EMERGENCY TELEPHONE (ACCOUNT #8686)

NORTH AMERICA 1-800-633-8253 INTERNATIONAL PERS 1-801-629-0667

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Corrosive to Metals Category 1

SIGNAL WORD: Danger

HAZARD STATEMENTS



1. Causes severe skin burns and eye damage

HAZARD STATEMENTS 2. Harmful if swallowed

3. May be corrosive to metals

APPEARANCE Blue opaque liquid PHYSICAL STATE Liquid



PRECAUTIONARY STATEMENTS

Do not breathe dust/fume/gas/ mist/ vapors/ spray

Wash face, hands and any exposed skin thoroughly after handling **PREVENTION**

Do not eat, drink or smoke when using this product

Wear protective gloves/ protective clothing/ eye protection/ face protection

RESPONSE Immediately call poison center or doctor/ physician

Call POISON CENTER or doctor/ physician if you feel unwell. Rinse IF SWALLOWED

mouth. Do NOT induce vomiting.

Rinse cautiously with water for several minutes. Remove contact lenses, IF IN EYES

if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician

Immediately remove all contaminated clothing. Rinse skin with IF ON SKIN/HAIR

water/shower Wash contaminated clothing before reuse.

Remove victim to fresh air and keep at rest in a position comfortable for **IF INHALED**

breathing Immediately call a POISON CENTER or doctor/physician.

IF EXPOSED/CONCERNED Get medical advice/ attention.

> STORAGE Store locked-up.

DISPOSAL Dispose of contents/container to an approved waste disposal plant.

HAZARDS NOT OTHERWISE

N/A **CLASSIFIED (HNOC)**

OTHER INFORMATION N/A

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	WEIGHT - %
Hydrochloric acid	7647-01-0	5 - 10
Water	7732-18-5	90
Fragrance	N/A	< 1
Dye	N/A	< 1



4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE Immediately call a POISON CENTER or doctor/physician.

Rinse cautiously with water for several minutes. Remove contact lenses, if **EYE CONTACT** present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ **SKIN CONTACT**

shower. Wash contaminated clothing before reuse.

Remove person to fresh air and keep at rest in a position comfortable for

INHALATION breathing.

SYMPTOMS

Immediately call poison center or doctor/ physician.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an **INGESTION**

unconscious person. Drink 1-2 glasses of water. Immediate medical attention is

required.

POTENTIAL ACUTE HEALTH EFFECTS

Most important symptoms and effects, both acute and delayed

Exposed individuals may experience eye tearing, redness and discomfort.

Contact will cause irritation and redness to be exposed areas. May cause irritation to the mucous membranes and upper respiratory tract. May cause gastrointestinal

tract irritation, nausea, vomiting, and diarrhea.

NOTES TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Use extinguishing measures that are appropriate to local SUITABLE EXTINGUISHING MEDIA circumstances and the surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA None known

SPECIFIC HAZARDS ARISING FROM CHEMICAL Not determined

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/ NIOSH (approved and equivalent) and full protective gear.



6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS Use personal protective equipment as required. Spills may be slippery. **ENVIRONMENTAL PRECAUTIONS** Avoid discharges into open waterways. Avoid discharge to soil.

METHODS AND MATERIALS FOR CONTAMINATION AND CLEAN-UP

CONTAMINATION Prevent further leakage or spillage is safe to do so

Avoid runoff into storm sewers and ditches which lead to waterways.

CLEAN-UP Prevent product from entering into stream, soil, storm sewer or other

bodies of water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Handle in accordance with good industrial hygiene and safety practice.

Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapor/

spray. Do not eat, drink, or smoke when using this product. Use personal

protection recommended in Section 8.

CONDITIONS FOR SAFE STORAGE (INCLUDING ANY INCOMPATIBILITIES)

STORAGE CONDITIONS Keep containers tightly closed in a dry, cool, and well-ventilated place. Store

locked up.

INCOMPATIBLE MATERIALS Not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

CHEMICAL NAME ACGIH TLV OSHA PEL NIOSH IDLH

Hydrochloric acid 2 ppm 5 ppm

ENGINEERING CONTROLS Apply technical measures to comply with the occupational exposure limits.

INDIVIDUAL PROTECTION MEASURES

EYE/FACE PROTECTION Wear approved safety goggles. **SKIN/BODY PROTECTION** Wear rubber or neoprene gloves.

RESPIRATORY PROTECTION Ensure adequate ventilation, especially in confined areas.

GENERAL HYGIENE Handle in accordance with good industrial hygiene and safety practice.



9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Liquid

APPERANCE Liquid

COLOR Blue opaque

ODOR Fresh

ODOR THRESHOLD Not determined

H < 1.0

MELTING POINT/FREEZING POINT 32°F/0°C

BOILING POINT/BOILING RANGE 212°F/ 100° C

FLASH POINT Non-Flammable

EVAPORATION RATE No data available

FLAMMABILITY (SOLID, GAS) N/A UPPER FLAMMABILITY LIMITS N/A

LOWER FLAMMABILITY LIMITS N/A

VAPOR PRESSURE 20 mm Hg at (68°F)

SPECIFIC GRAVITY 1.035 grams/ml. at 20°C (68°F)

RELATIVE DENSITY No data available
WATER SOLUBILITY Completely soluble
PARTITION COEFFICIENT Not determined

N-OCTANOL/ WATER Not determined AUTO-IGNITION TEMPERATURE Not determined

DECOMPOSITION TEMPERATURE Not determined

VISCOSITY Water thin

10. STABILITY AND REACTIVITY

REACTIVITY Not reactive under normal conditions

CHEMICAL STABILITY Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS None under normal processing

CONDITIONS TO AVOID Keep out of reach of children

INCOMPATIBLE MATERIALS

Strong alkalis, reducing agents, chlorine bleach products;

metals e.g. aluminum, brass, copper, iron.

HAZARDOUS DECOMPOSITION PRODUCTS

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

SKIN CONTACT
INHALATION
INGESTION

Causes severe eye damage.
Causes severe skin burns.
Avoid breathing vapors or mists.
May be harmful if swallowed.

COMPONENT INFORMATION



CHEMICAL NAMEORAL LD50DERMAL LD50INHALATION LC50Hydrochloric acid900 mg/kg (rat)-2134 mg/l (Rat), Aerosol

SYMPTOMS Please see section 4 of this SDS for symptoms.

CARCINOGENICITY This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC, or NTP.

NUMERICAL MEASURES OF TOXICITY-PRODUCT Not determined.

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS DOCUMENT

ATEMIX (ORAL) 1281 MG/KG ATEMIX (DERMAL) 27049 MG/KG

12. ECOLOGICAL INFORMATION

ECOTOXICITY This product is toxic to fish.

PERSISTENCE AND DEGRADABILITY Not determined

BIOACCUMULATION Not determined

MOBILITY Not determined

OTHER ADVERSE EFFECTS Not determined

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Any method in accordance with local, state and

federal laws. Best method is to recycle or reuse for

WASTE DISPOSAL intended purpose. Small amounts (less than 1 gallon)

m ay be diluted with copious amounts of water and

disposed of into sanitary sewer.

CONTAMINATED PACKAGING

Rinse container with clear water. Offer container for

recycling, or dispose of in trash.

14. TRANSPORT INFORMATION

DOT

UN/ ID No UN1760

Proper Shipping Name Compound, Cleaning Liquid

Hazard Class 8
Packing Group III

IATA

UN/ ID No UN1760

Proper Shipping Name Compound, Cleaning Liquid

Hazard Class 8
Packing Group |||



IMDG

UN/ ID No UN1760

Proper Shipping Name Corrosive liquids, n.o.s. (Potassium hydroxide, sodium metasilicate)

Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

LEGEND

TSCA United States Toxic Substances Control Act Section 8(B) Inventory

DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing/Notified Chemical Substances

ENCS Japan Existing and New Chemical Substances

IECSC China Inventory of Existing Chemical Substances **KECL** Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

SARA 313/312 HAZARD CATEGORIES

CHEMICAL NAME CAS NO. WEIGHT % SARA 313-THRESHOLD VALUES %

Hydrochloric acid 5-10%

CLEAN WATER ACT (CWA)

REPORTABLE TOXIC PRIORITY HAZARDOUS
CHEMICAL NAME QUANTITIES POLLUTANTS POLLUTANTS SUBSTANCES

Potassium hydroxide

1310-58-3 1000 LBS -- X

HAZARDOUS
CHEMICAL NAME
SUBSTANCES RQ
CERCLA/SARA RQ
QUANTITY (RQ)
Hydrochloric acid
5000 LBS
5000 LBS
RQ 5000lb final RQ

U.S. STATE REGULATIONS

U.S. STATE RIGHT-TO-KNOW REGULATIONS

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Hydrochloric acid	X	Х	Х
Potassium hydroxide	X	X	X



16. OTHER INFORMATION

NFPA HEALTH HAZARDS FLAMMABILITY INSTABILITY SPECIAL HAZARDS

Not determined Not determined Not determined

HMIS HEALTH HAZARDS FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

Not determined Not determined B

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET