# Safety Data Sheet **GHS-Compliant**

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements

consulted for specific requirements	
PRODUCT IDENTITY Tschopp Supply Stain Remover	Safety Data Sheet Revision Date - February 6, 2015
Section 1 - Identification	
Product Name	Cas #
Sodium Hypochlorite	7681-52-9
Synonym	Chemical Formula
Chlorinator	NaOCl
Chemical Name	Chemical Family
Sodium Hypochlorite	Inorganic Halogen Compound
Product Use Water treatment (chlorination)	
Manufacturer/Supplier Name	Address
Tschopp Supply Co., Inc.	2260 Bailey Avene, Buffalo, NY 14211
General Information	Country
1-716-897-1600	USA
Emergency Telephone	Transportation Emergency Number
1-716-897-1600	CHEMTREC 1-800-424-9300
Section 2 - Hazards Identification	
CHE Classifications	

GHS Classification:			
HEALTH		PHYSICAL	
Skin corrosion/irritation -	Category 1	Corrosive to metals -	Category 1
Serious eye damage/eye irritation -	Category 1		
Specific target organ toxicity, single expo	sure -	ENVIRONMENTAL HAZAR	DS
Category 3 respiratory tract irritation		Hazardous to the aquatic environ	ment, acute hazard -
		Category 1	
		Hazardous to the aquatic environ	ment, long-term hazard -
		Category 2	

# **GHS Label Elements:**

**SYMBOLS:** 

corrosive, irritant, hazardous to the aquatic environment



# Signal Word: DANGER

# Section 2 - Hazards Identification (continued)

GHS Label:			
Hazard Statements	Precautionary Statements (continued)		
May be corrosive to metals. Causes severe skin burns	immediately all contar	minated clothing. Rinse skin with	
and eye damage. May cause respiratory irritation.	water/shower. If in ey	ves: Rinse cautiously with water for	
Very toxic to aquatic life. Toxic to aquatic life with long	several minutes. Rem	ove contact lenses if present and easy	
lasting effects.	to do. Continue rinsing	g. Immediately call a poison center/	
	doctor. Wash contam	inated clothing before reuse. Absorb	
Precautionary Statements	spillage to prevent ma	terial damage. Collect spillage.	
Prevention - Wear protective gloves/protective clothing/	Storage - Store in a v	well-ventilated place. Keep container	
eye protection/face protection. Do not breathe mist or	tightly closed. Store l	ocked up. Store in corrosive	
vapor. Use only outdoors or in a well-ventilated area.	resistant container wit	h a resistant inner liner.	
Wash thoroughly after handling. Keep only in original	Disposal - Dispose o	f contents/container in accordance	
container. Avoid release to the environment.	with local/regional/national/international regulations.		
Response - If swallowed: Rinse mouth. Do NOT induce			
vomiting. If inhaled: Remove person to fresh air and keep			
comfortable for breathing. If on skin or hair: Take off			
Section 3 - Composition/Information on Ing	redients		
Component Description	Percent	CAS#	
Sodium Hypochlorite	5 - 17	7681-52-9	
Sodium Hydroxide	0.10 - 4.25	1310-73-2	

# **Section 4 - First Aid Measures**

General

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Show this Safety Data Sheet to the doctor in attendance.

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

# Section 4 - First Aid Measures (continued)

#### Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

#### Skin Contact

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15 - 20 minutes. Get medical attention immediately. Wash contaminated clothing before reuse. Call a physician or poison control center immediately.

#### Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get in the lungs.

#### Indication of immediate medical attention and special treatment needed

Treat symptomatically. Chemical burns: flush with water immediately. While flushing, remove clothes which

do not adhere to affected area. Call an ambulance. With eye exposure, continue flushing during

transport to hospital.

#### Most important symptoms/effects, acute and delayed

Corrosive effects. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Permanent eye damage including blindness could result.

# **Section 5 - Fire Fighting Measures**

Suitable Extinguishing Method

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet, as this will spread the

fire. Do not use dry extinguishing media that contains ammonium compounds.

Specific and/or Unusual Fire and Explosion Hazards

During fire, gases hazardous to health may be formed. No unusual fore or explosion hazards noted.

#### **Special Firefighting Procedures**

In case of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials.

# Section 6 - Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see Section 8 of the SDS.

# **Environmental Precautions**

Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

# Section 6 - Accidental Release Measures (continued)

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

**Small spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

# Section 7 - Handling and Storage

**Precautions for Safe Handling** 

Wear appropriate personal protective equipment. Do not get in eyes, on skin or clothing. Use with adequate ventilation. Observe good industrial hygiene practices. Do not apply heat or direct sunlight. Temperature and product concentration affect product quality and decomposition rates.

#### **Conditions for Safe Storage**

Keep container tightly closed. Store in a cool and well ventilated place. Store in a corrosive resistant container. Consult container manufacturer for additional guidance.

#### Precautions to be Taken in Handling and Storage

Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents and all metals except titanium.

# Section 8 - Exposure Controls / Personal Protection

#### EXPOSURE LIMITS

Substance	PEL	STEL	CEILING
sodium hydroxide (CAS 1310-73-2)	2 mg/m3	2 mg/m3	2 mg/m3
sodium hypochlorite (CAS 7681-52-9)		2 mg/m3	

N/D - No Data Available

C = Ceiling Level

# **Respiratory Protection**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

# Skin Protection

Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. FRC treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific information about their products.

#### **Eye Protection**

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

Section	n 9 - Physi	cal and C	hemical	Propertie	S	
<b>Boiling Po</b>	oint			•	Specific Gravity	
230° F (	230° F (110° C)			1.22		
Vapor Pro	essure (mm H	<b>g</b> )			Freezing Point	
12 mm H	Hg (20° C / 6	58° F)			-3° to -14° F (-19.4° to -25.6° C)	
Vapor De	nsity (AIR = 1	)			Density	
not availa	able				9.9 - 10.5 lbs/gallon	
Solubility	in Water					
complete	ely miscible					
Appearan	ce and Odor					
clear, col	lorless to yel	low liquid v	vith charact	teristic bleac	h odor	
Section	n 10 - Stab	ility and	Reactivit	y		
Stability	Unstable		Conditions	s to Avoid		
			Contact w	ith incompati	ble materials. Avoid ultraviolet (UV) light sources.	
	Stable	v	Excessive heat. Reacts violently with strong acids. Acid contact will p		violently with strong acids. Acid contact will produce	
		Λ	chlorine g	hlorine gas. Amine contact will produce chloramines.		
Incompati	ibility (Materi	als to Avoid)				
Strong or	xidizing age	nts				
Acids						
Metals						
Organic	compounds					
Ammoni	a					
Hazardou	s Decomposit	ion or By-Pro	ducts			
none kno	own					
Hazardous	6	May Occur			Conditions to Avoid	
Polymeriza	ation	Will not Oc	cur	X		

Section 11 - To	xicology Information	ation	
Route(s) of Exposure	Inhalation?	Skin?	Ingestion?
	Yes	Yes	Yes
Health Hazards (Acu	te and Chronic)		
Ingestion may cause	se gastrointestinal irri	tation, nausea, vomiting and diarrhe	a. Ingestion may produce burns to the lips,
oral cavity, upper a	airway, esophagus an	d possibly the digestive tract. Vapo	rs and spray mist may irritate throat
and respiratory sys	tem and cause cough	ing. Causes skin and eye burns.	
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No
Signs and Symptoms	of Exposure		
Corrosive effects.	Symptoms may inclu	ide stinging, tearing, redness, swellin	ng and blurred vision. Permanent eye
damage including	blindness could result	t.	
Toxicology		•	
Sodium Hypochlor	rite 5 - 17% (CAS m	1xture)	
		L D50	
		$\frac{1}{2} \frac{1}{2} \frac{1}$	
		$U_{\rm D50} = 2.5  {\rm g/ls}^2$	
Mutaganic Effects		LD30 3 - 3 g/kg	
No data available t	o indicate product or	any components present at $>0.1\%$ a	re mutagenic or genotoxic
		any components present at 20.170 a	re indiagenie of genoloxie.
Section 12 - Ec	ological Informa	tion	
Ecological Toxicity			
Very toxic to aqua	tic life. Toxic to aqua	atic life with long lasting effects.	Test Decults
Product	$\frac{1}{100}$	Species	Test Results
Aquatic	110 J - 17% (CAS M	ואנעוכ)	
Crustacea	LC50	Danhnia	1 mg/l
Figh	LC50	Plugill (Lanomia Magrophir	1  mg/l
1 1511	LUJU	Bluegin (Lepoints Macrochirt	15) 0.0 IIIg/1, 40 II0u18
Other Adverse Effec	ts		
No other adverse a	w nvironmental affects	(e.g. ozone depletion photochemics	l ozone creation potential endocrine
disruption alabely	varming notantial) or	e.g. ozone depiction, photochemica	a ozone ereauon potential, endocrine
uisi upuon, giodal V	warming potential) ar	e expected from this component.	

# Section 13 - Disposal Considerations

**Disposal instructions -** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as a hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/

container in accordance with local/regional/national/international regulations.

**Hazard Waste Code -** The waste code should be assigned in discussion between the use, the producer and the waste disposal company.

# **Section 13 - Disposal Considerations (continued)**

Waste from residues/unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues.

This material and its container must be disposed of in a safe manner (see: Disposal instructions).

#### **Contaminated Packaging**

14

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **Section 14 - Transportation Information**

14.2

14.3

Inside co	ntainers 1.3 gallons or	less.
14.1.1	<b>DOT Classification:</b>	Consumer Commodity

.1.2	<b>DOT Hazard Class:</b>	ORM-D

4.1.3	Marking:	Consumer Commodity, ORM-D
414	Marina Dollutante	Not listed in Annandix P of the Us

14.1.4Marine Pollutant:Not listed in Appendix B of the Hazardous Material Table14.1.5Deposit ContainerRESIDUE: LAST CONTAINED CONSUMER

 Returns:
 COMMODITY ORM-D, PGIII

Inside co	Inside containers or single containers exceeding 1.3 gallons.				
14.2.1	DOT Classification	: Hypochlorite Solutions			
14.2.2	DOT Hazard Class	: 8, UN1791, PGIII			
14.2.3	Label:	Corrosive 8			
14.2.4	Deposit Container	RESIDUE: LAST CONTAINED, UN1791,			
	<b>Returns:</b>	HYPOCHLORITE SOLUTIONS, 8, PGIII			
<b>Reportable Quantity (RQ):</b> 100 lb (45.4 kg) or 80 gallons (based on 12.5%)					
active ingredient)					

# **Section 15 - Regulatory Information**

U. S. Federal Regulations			
<b>Comprehensive Environmental Resp</b>	oonse and Liability Act of 1980 (CERCL	A):	
Sodium Hydroxide	CAS 1310-73-2	Listed	
Sodium Hypochlorite	CAS 7681-52-9	Listed	
Toxic Substances Control Act (TSC)	A):		
Not regulated			
US OSHA Specifically Regulated Su	bstances (29 CFR 1910.1001 - 1050)		
Not listed			
Safe Drinking Water Act (SDWA) :			
Not regulated			
Clean Air Act (CAA) :			
Not regulated			

#### Superfund Amendments and Reauthorization Act (SARA) Title III Information:

Immediate hazard - yes. Delayed hazard - no, Fire hazard - no, Pressure hazard - no, Reactivity hazard - no. SARA 302 - not listed. SARA 311/312 Hazard Chemical - yes. SARA 313 (TRI Reporting) - not regulated.

# **Section 15 - Regulatory Information (continued)**

State Regulations

#### California Safe Drinking Water Act (Prop 65) Listing:

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

<b>Rhode Island Right to Know</b>	Act:			
Chemical Name:	Sodium Hydroxide	CAS #	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS #	7681-52-9	
New Jersey Right to Know A	Act:			
Chemical Name:	Sodium Hydroxide	CAS #	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS #	7681-52-9	
Massachusetts Right to Know	w Act Substance List (MSL):			
Chemical Name:	Sodium Hydroxide	CAS #	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS #	7681-52-9	
Pennsylvania Right to Know	Act Hazardous Substance L	ist:		
Chemical Name:	Sodium Hydroxide	CAS #	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS #	7681-52-9	
International Inventories				
Country(s) or Region	Inventory Name			On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)			Yes
Canada	Domestic Substances List (DSL)			Yes
Canada	Non-Domestic Substances List (NDSL)			No
China	Inventory of Existing Chemical Substances in China (IECSC)			Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)			S) Yes
Europe	European List of Notified Chemical Substances (ELINCS)			No
Japan	Inventory of Existing and New Chemical Substances (ENCS)			Yes
Korea	Existing Chemicals List (ECL)			Yes
lew Zealand New Zealand Inventory			Yes	
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS)			Yes	
United States & Puerto Rico         Toxic Substances Control Act (TSCA) Inventory			Yes	

# **Canadian WHMIS Regulation (Workplace Hazardous Materials Information System):**

Classification: E (Corrosive Materials)

Health effects criteria met by this chemical: E - corrosive to skin ; E - TDG class 8 - corrosive substance Ingredient Disclosure List: included for disclosure at 1% or greater

Section 16 - Other Information					
National Fire Protection Association (I	NFPA) Ratings:				
Health Rating - 3	Flammability Rating - 0	Reactivity Rating - 1			
Hazardous Material Identification Sys	tem (HMIS):				
Health Rating - 3	Flammability Rating - 0	Reactivity Rating - 1			
Disclaimer of Liability					
This information is provided with	out warranty. The information i	s believed to be correct. This information			
should be used to make an indepen	ndent determination of the meth	ods of safeguard workers and the			
environment.					

# Prepared by Bison Laboratories, Inc., 100 Leslie Street, Buffalo, NY 14211