

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

* 1 Identification

- **Product identifier**
- **Trade name:** Prenett Max
- **Article number:** 2220
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation**
Highly effective and mild pre-spotting agent for textile cleaning, for spraying and brushing on
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
- **Manufacturer:**
Chemische Fabrik Kreussler & Co. GmbH
Postfach 120454
D-65082 Wiesbaden
- **Supplier:**
Kreussler Inc., 6103 Johns Road Suit 7, Tampa, FL 33634,
Phone 813-884-1499, Fax 813-884-1599,
Internet: www.kreussler.com, e-mail: office-tampa@kreussler.com
- **Information department:**
Abteilung TQM
Herr Vogel
+49 (0) 611 9271-175
Kurt.Vogel@kreussler.com
- **Emergency telephone number:** +49 (0) 611 9271-0

2 Hazard(s) identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Irritant
Irritating to skin. Risk of serious damage to eyes.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with directives on hazardous materials.
- **Code letter and hazard designation of product:**



Xi Irritant

- **Risk phrases:**
Irritating to skin.
Risk of serious damage to eyes.
- **Safety phrases:**
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Wear suitable gloves and eye/face protection.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

	perfumes	Xi R38-43; N R51/53	≤1%
112-34-5	2-(2-butoxyethoxy)ethanol	Xi R36	15-30%
69011-36-5	alcohols C13 branched, ethoxylated	Xn R22; Xi R36/38	15-30%
68425-47-8	Soyafattyacid-diethanolamide	Xi R38-41	5.0-15%
97489-15-1	Sulfonsäuren, C14-17-sec-Alkan-, Natriumsalze	Xn R22; Xi R38-41	1.0-5.0%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Rinse with warm water.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Use normal protective clothing.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 2)

- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- **Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**

- **Precautions for safe handling** No special measures required.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** None.

- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

112-34-5 2-(2-butoxyethoxy)ethanol (15-30%)

TLV	Long-term value: 67.5* mg/m ³ , 10* ppm
	*Inhalable fraction and vapor

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Protection of hands:**



Protective gloves

- **Material of gloves**

PVC or PE gloves

Recommended thickness of the material: ≥ 0.4 mm

- **Not suitable are gloves made of the following materials:**

Leather gloves

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 3)

Strong gloves

· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Protective work clothing

* 9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Fluid
Color:	Yellow
· Odor:	Characteristic
· pH-value at 20 °C (68 °F):	6.8
· Change in condition	
Melting point/Melting range: Undetermined.	
Boiling point/Boiling range: Undetermined.	
· Flash point:	> 100 °C (> 212 °F) (ASTMD93(PMCC))
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.99 g/cm ³ (8.262 lbs/gal)
· Solubility in / Miscibility with Water:	
Fully miscible.	
· Viscosity:	
Dynamic at 20 °C (68 °F):	65 mPas
· Solvent content:	
Organic solvents:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 5)

— USA —

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 4)

* 11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LD/LC50 values that are relevant for classification:

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD-50	3384 mg/kg (rat)
------	-------	------------------

Dermal	LD-50	2700 mg/kg (bunny)
--------	-------	--------------------

69011-36-5 alcohols C13 branched, ethoxylated

Oral	LD-50	500-2000 mg/kg (rat)
------	-------	----------------------

64742-56-9 Distillates (petroleum), solvent-dewaxed light paraffinic

Oral	LD-50	>5000 mg/kg (rat)
------	-------	-------------------

Dermal	LD-50	>5000 mg/kg (rabbit)
--------	-------	----------------------

Inhalative	LC-50/4 h	5.53 mg/m ³ (rat)
------------	-----------	------------------------------

68425-47-8 Soyafattyacid-diethanolamide

Oral	LD-50	19700 mg/kg (rat)
------	-------	-------------------

97489-15-1 Sulfonsäuren, C14-17-sec-Alkan-, Natriumsalze

Oral	LD-50	>2000 mg/kg (rat)
------	-------	-------------------

Dermal	LD-50	>2000 mg/kg (mouse)
--------	-------	---------------------

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

111-42-2	2,2'-iminodiethanol	3
----------	---------------------	---

- NTP (National Toxicology Program)

None of the ingredients is listed.

* 12 Ecological information

- Toxicity

- Aquatic toxicity:

112-34-5 2-(2-butoxyethoxy)ethanol

EC-10 (17 h)	1170 mg/l (Pseudomonas putida)
--------------	--------------------------------

EC-50 24h	2850 mg/l (Daphnia magna)
-----------	---------------------------

LC-50 96h	1300 mg/l (Lepomis macrochirus)
-----------	---------------------------------

NOEC (96h)	>100 mg/l (Desmodesmus subspicatus)
------------	-------------------------------------

69011-36-5 alcohols C13 branched, ethoxylated

LC-50 96h	1-10 mg/l (Leuciscus idus)
-----------	----------------------------

68425-47-8 Soyafattyacid-diethanolamide

EC-50	> 100 mg/l (Pseudomonas putida)
-------	---------------------------------

LC-50	>1 -10 mg/l (Pseudomonas putida)
-------	----------------------------------

97489-15-1 Sulfonsäuren, C14-17-sec-Alkan-, Natriumsalze

EC-50	9.81 mg/l (Daphnia magna) (OECD 202)
-------	--------------------------------------

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 5)

EC-50 72h	>61 mg/l (Scenedesmus subspicatus)
LC-50	1-10 mg/l (Zebrabärbling) (OECD 203)
NOEC (16 h)	600 mg/L (Pseudomonas putida) (DIN 38412 T.8)
NOEC (56 d)	470 mg/kg (Eisenia foetida) (OECD 222)

- **Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
The product may not be released into the environment without control.
Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Dispose of in accordance with local, state, and federal Regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 7)

—USA—

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 6)

* 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

111-42-2 | 2,2'-iminodiethanol

· TSCA (Toxic Substances Control Act):

112-34-5 | 2-(2-butoxyethoxy)ethanol

69011-36-5 | alcohols C13 branched, ethoxylated

64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic

Seife

68425-47-8 | Soyafattyacid-diethanolamide

56-81-5 | glycerol

7786-30-3 | Magnesium chloric hexahydrate

111-42-2 | 2,2'-iminodiethanol

7732-18-5 | water, distilled, conductivity or of similar purity

· Proposition 65

· Chemicals known to cause cancer:

111-42-2 | 2,2'-iminodiethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

111-42-2 | 2,2'-iminodiethanol

A3

· MAK (German Maximum Workplace Concentration)

111-42-2 | 2,2'-iminodiethanol

3B

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canadien Substances Listings:

· Canadien Domestic Substances List (DSL):

112-34-5 | 2-(2-butoxyethoxy)ethanol

69011-36-5 | alcohols C13 branched, ethoxylated

64742-56-9 | Distillates (petroleum), solvent-dewaxed light paraffinic

Seife

68425-47-8 | Soyafattyacid-diethanolamide

56-81-5 | glycerol

7791-18-6 | Magnesiumchlorid-hexahydrat

7786-30-3 | Magnesium chloric hexahydrate

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/27/2013

Reviewed on 05/27/2013

Trade name: Prenett Max

(Contd. of page 7)

111-42-2	2,2'-iminodiethanol
7732-18-5	water, distilled, conductivity or of similar purity
· Canadien Ingredient disclosure list (limit 0.1%)	
112-34-5	2-(2-butoxyethoxy)ethanol
69011-36-5	alcohols C13 branched, ethoxylated
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic
	Seife
68425-47-8	Soyafattyacid-diethanolamide
56-81-5	glycerol
7791-18-6	Magnesiumchlorid-hexahydrat
7786-30-3	Magnesium chloric hexahydrate
111-42-2	2,2'-iminodiethanol
7732-18-5	water, distilled, conductivity or of similar purity
· Canadien Ingredient disclosure list (limit 1%)	
112-34-5	2-(2-butoxyethoxy)ethanol

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:

Xi Irritant

· Risk phrases:

Irritating to skin.

Risk of serious damage to eyes.

· Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

· National regulations:**· Technical instructions (air):**

Class	Share in %
NK	15-30

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.

The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.

Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

· Department issuing MSDS:

Abteilung TQM

Herr Vogel

+49 (0) 611/9271-175

· Contact: Herr Vogel

· * Data compared to the previous version altered.