

Page 1/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

### 1 Identification

- · Product identifier
- · Trade name: Multicharge
- · Application of the substance / the mixture

Dry-cleaning Detergent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 order@seitz24.com www.seitz24.com

· Information department:

CHEM-TEL Inc. 1305 North Florida Ave Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924 (24-hour Service)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

2-Ethylhexanol, ethoxylated, phosphated

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary statements** 

P280 Wear protective gloves / eye protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

(Contd. on page 2)



Page 2/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Components:					
CAS: 68411-30-3	benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	10 – 30%			
CAS: 94094-93-6	benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends	10 – 30%			
CAS: 34590-94-8	dipropylene glycol monomethylether	7 – 13%			
CAS: 31800-88-1	2-Ethylhexanol, ethoxylated, phosphated	1 – 5%			

· Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed

Eye damage

Skin irritation

· Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam

- · For safety reasons unsuitable extinguishing agents No further relevant information available.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)



Page 3/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 2)

Do not inhale explosion gases or combustion gases.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 24 month

Specific end use(s) Dry-cleaning

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 4)



Page 4/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 3)

CAS	CAS: 34590-94-8 dipropylene glycol monomethylether		
PEL	Long-term value: 600 mg/m³, 100 ppm Skin		
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin		
TLV	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin		

### · Regulatory information

PEL: Guide to Occupational Exposure Values (OSHA PELs) REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (ACGIH)

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

### · Personal protective equipment

## General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

#### · Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

### · Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

**-** US



Page 5/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 4)

· Information on basic physical and chemical properties · General Information					
Appearance:					
Form:	Fluid				
Color:	Yellow				
Odor:	Product specific				
Odor threshold:	No further relevant information available.				
pH-value (100 g/l) at 20 °C (68 °F):	~ 6.9				
Change in condition					
Melting point/Melting range:	undetermined				
Boiling point/Boiling range:	undetermined				
Flash point:	Not applicable				
Flammability (solid, gaseous)	No further relevant information available.				
Ignition temperature:	No further relevant information available.				
Decomposition temperature:	No further relevant information available.				
Auto igniting:	Product is not selfigniting.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits:					
Lower:	No further relevant information available.				
Upper:	No further relevant information available.				
Oxidizing properties	No further relevant information available.				
Vapor pressure:	No further relevant information available.				
Density at 20 °C (68 °F):	~ 1.01 g/cm3 (ISO 2811)				
Relative density	No further relevant information available.				
Vapor density	No further relevant information available.				
Evaporation rate	No further relevant information available.				
Solubility in / Miscibility with					
Water:	Fully miscible				
Partition coefficient (n-octanol/wate	r): No further relevant information available.				

 $> 20.5 \text{ mm}^2/\text{s}$ 

No further relevant information available.

## 10 Stability and reactivity

kinematic at 40 °C (104 °F):

- · Reactivity No further relevant information available.
- Chemical stability

· Other information

Stable under normal ambient conditions.

(Contd. on page 6)



Page 6/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 5)

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 values that are relevant for classification:						
ATE (Acute Toxicity Estimate)						
Oral	LD50	> 2,390 mg/kg (rat)				
Dermal	LD50	> 3,272 mg/kg (rat)				
CAS: 68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts						

CAS: 68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts					
Oral	LD50	1,080 mg/kg (rat)			
Dermal	LD50	> 2,000 mg/kg (rat)			
CAS: 94094-93-6 benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends					
Oral	LD50	> 2,000 mg/kg (rat) (OECD 401)			
Dermal	LD50	> 2,000 mg/kg (rat) (OECD 402)			
CAS: 34590-94-8 dipropylene glycol monomethylether					
Oral	LD50	> 5,000 mg/kg (rat)			
Dermal	LD50	9,500 mg/kg (rabbit)			

- Inhalative LC50 (7h) 3.35 mg/l (rat)

  Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Carcinogenic categories

### IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 6)

· Aspiration hazard Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

### CAS: 34590-94-8 dipropylene glycol monomethylether

EC50 > 969 mg/l (Aquatic plants, algae) (96 h;Scenedesmus capricornutum)

1,919 mg/l (Aquatic invertebrates) (48 h; Daphnia)

LC50 > 10,000 mg/l (Fish) (96 h; Pimephales promelas)

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

## **14 Transport information**

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA Void
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA Void

(Contd. on page 8)



Page 8/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

	(Contd. of page 7
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	t <b>II of</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## 15 Regulatory information

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

CAS: 34590-94-8 dipropylene glycol monomethylether

New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2019 Reviewed on 08/27/2019

Trade name: Multicharge

(Contd. of page 8)

### Pennsylvania Right-to-Know List:

CAS: 34590-94-8 dipropylene glycol monomethylether

Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

Other information: The product has been designed for professional use only.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 08/27/2019 / 4.00
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

\* Data compared to the previous version altered.