

Page 1/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

1 Identification

- · Product identifier
- · Trade name: Sigma Intense
- · Application of the substance / the mixture Dry-cleaning Detergent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SEITZ GmbH Gutenbergstrasse 1 - 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 order@seitz24.com www.seitz24.com
- · Information department: CHEM-TEL Inc. 1305 North Florida Ave Tampa Florida 33602
- Emergency telephone number: 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: docusate sodium Alkanes, C12-14-iso-Alcohols, C12-14, ethoxylated, phosphate 1-aminopropan-2-ol · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H304 May be fatal if swallowed and enters airways. Precautionary statements P280
 - Wear protective gloves / eye protection.



Page 2/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

	(Contd. of page 1)	
P301+P310	If swallowed: Immediately call a poison center/doctor.	
P331	Do NOT induce vomiting.	
P302+P352	If on skin: Wash with plenty of water.	
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P501	Dispose of contents/container in accordance with local/regional/national/	
	international regulations.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	ponents:	
CAS: 68551-19-9	Alkanes, C12-14-iso-	15 – 40%
CAS: 577-11-7	docusate sodium	7 – 13%
	1-(1-methyl-2-propoxyethoxy)propan-2-ol	7 – 13%
	Alcohols, C12-14, ethoxylated, phosphate	3 – 7%
CAS: 69011-36-5	isotridecanol, ethoxylated	1 – 5%
CAS: 78-96-6	1-aminopropan-2-ol	0.5 – 1.5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor
- **Most important symptoms and effects, both acute and delayed** Eye damage Skin irritation
- If swallowed or in case of vomiting, danger of entering the lungs
- · Indication of any immediate medical attention and special treatment needed Symptomatic treatment

(Contd. on page 3)



Page 3/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents Water with full jet.

Special hazards arising from the substance or mixture

- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 $^{\cdot}$ Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Do not breathe gases/ vapours.

Avoid contact with eyes and skin.

Keep away from ignition sources

• Environmental precautions: Do not allow product to reach sewage system or any water course. • Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

- Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling
- Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Avoid contact with eyes and skin.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

US



Page 4/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

	(Contd. of pag
Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: Sto Information about storage in one common storage facility: S Further information about storage conditions: Protect from heat and direct sunlight. Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Protect from frost. Time of storage: max. 24 month	
Specific end use(s) Dry-cleaning	
Exposure controls/personal protection	
Additional information about design of technical systems: N	lo further data: see item 7
Control parameters	
Components with limit values that require monitoring at the Additional information: The lists that were valid during the created	
Exposure controls	
 Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should Keep away from foodstuffs, beverages and feed. Do not eat, drink, smoke or sniff while working. 	d be followed.
Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.	
 Breathing equipment: Use suitable respiratory protective device in case of insufficient v limit values, formation of aerosols). Protection of hands: 	ventilation (exceeding the workpl
Protective gloves.	roduct/ the substance/ the
The glove material has to be impermeable and resistant to the preparation. • Material of gloves	
preparation. Material of gloves Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the of quality and varies from manufacturer to manufacturer. As the substances, the resistance of the glove material can not be calcu- to be checked prior to the application.	product is a preparation of sever
preparation. Material of gloves Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the of quality and varies from manufacturer to manufacturer. As the substances, the resistance of the glove material can not be calcu	product is a preparation of sever ulated in advance and has theref



Page 5/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

(Contd. of page 4)

Trade name: Sigma Intense

· Body protection: Protective work clothing.

 Information on basic physical and cl General Information 	nemical properties
Appearance: Form: Color: Odor: Odor threshold:	Fluid Light yellow Product specific No further relevant information available.
· pH-value (100 g/l) at 20 °C (68 °F):	7.2
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	not applicable undetermined
· Flash point:	> 95 °C (> 203 °F) (EN 22719)
· Flammability (solid, gaseous)	No further relevant information available.
Ignition temperature:	No further relevant information available.
Decomposition temperature:	No further relevant information available.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
 Explosion limits: Lower: Upper: Oxidizing properties 	No further relevant information available. No further relevant information available. No further relevant information available.
· Vapor pressure:	No further relevant information available.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	~ 0.92 g/cm3 (ISO 2811) No further relevant information available. No further relevant information available. No further relevant information available.
 Solubility in / Miscibility with Water: 	Fully miscible
Partition coefficient (n-octanol/water): No further relevant information available.
 Viscosity: dynamic: kinematic at 40 °C (104 °F): Other information 	No further relevant information available. < 20.5 mm/s² No further relevant information available.

(Contd. on page 6)



Page 6/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Stable under normal ambient conditions.
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

· Information on	toxicological effects
------------------	-----------------------

· Acute toxicity

LD/LC50 values that are relevant for classification:	
--	--

ATE (Acute Toxicity Estimate)

Oral LD50 > 7,739 mg/kg (rat)

Dermal LD50 > 10,919 mg/kg

CAS: 68551-19-9 Alkanes, C12-14-iso-

Oral LD50 > 5,000 mg/kg (rat) (OECD 401 (similar substance))

CAS: 577-11-7 docusate sodium

Oral LD50 > 2,100 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

CAS: 29911-27-1 1-(1-methyl-2-propoxyethoxy)propan-2-ol

Oral LD50 > 2,000 mg/kg (rat)

Dermal LD50 > 2,000 mg/kg (rat)

CAS: 69011-36-5 isotridecanol, ethoxylated

Oral LD50 > 5,000 mg/kg (rat) (OECD 401)

Dermal LD50 > 5,000 mg/kg (/)

CAS: 78-96-6 1-aminopropan-2-ol

Oral LD50 4,260 mg/kg (rat)

Dermal LD50 1,851 mg/kg (rabbit)

· Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US



Page 7/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure
- Based on available data, the classification criteria are not met.
- Specific target organ toxicity repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

· Aquati	c toxicity:
CAS: 6	8551-19-9 Alkanes, C12-14-iso-
EL50	> 1,000 mg/l (Aquatic plants, algae) (72 h; Pseudokirchneriella subcapitata; OECD 201)
	> 1,000 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)
NOEL	0.316 mg/l (Fish) (28 d; Oncorhynchus mykiss; QSAR)
LL50	> 1,000 mg/l (Fish) (96 h; Oncorhynchus mykiss ; OECD 203)
CAS: 5	77-11-7 docusate sodium
EC50	82.5 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus)
	35 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)
LC50	49 mg/l (Fish) (96 h; Danio rerio)
CAS: 2	9911-27-1 1-(1-methyl-2-propoxyethoxy)propan-2-ol
EC50	> 1,000 mg/l (Aquatic plants, algae) (96 h; Pseudokirchneriella subcapitata)
	> 100 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)
LC50	> 100 mg/l (Fish) (96 h; Oncorhynchus mykiss)
CAS: 6	9011-36-5 isotridecanol, ethoxylated
EC50	> 1 – 10 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus; OECD 201)
	> 1 – 10 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)
LC50	> 1 – 10 mg/l (Fish) (96 h; Cyprinus carprio; OECD 203)
NOEC	1.36 mg/l (Aquatic invertebrates) (21 d; Daphnia magna; QSAR)
CAS: 7	8-96-6 1-aminopropan-2-ol
EC50	32.7 mg/l (Aquatic plants, algae) (Scenedesmus subspicatus; 72h)
	108.8 mg/l (Aquatic invertebrates) (Daphnia magna; 48h)
LC50	> 215 – < 464 mg/l (Fish) (Leuciscus idus; 96h)
	tence and degradability No further relevant information available.
	ior in environmental systems:
	cumulative potential No further relevant information available.
	ty in soil No further relevant information available.

(Contd. on page 8)



Page 8/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

(Contd. of page 7)

Trade name: Sigma Intense

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

· DOT, ADR, ADN, IMDG, IATA Void · UN proper shipping name Void · DOT, ADR, ADN, IMDG, IATA Void · Transport hazard class(es) Void · DOT, ADR, ADN, IMDG, IATA Void · Packing group Void · DOT, ADR, IMDG, IATA Void · Packing group Void · DOT, ADR, IMDG, IATA Void · Packing group Not applicable. · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Not dangerous according to the above specifications.	· UN-Number	
· DOT, ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · · DOT, ADR, ADN, IMDG, IATA Void · Class Void · Packing group · · DOT, ADR, IMDG, IATA Void · Packing group · · DOT, ADR, IMDG, IATA Void · Packing group · · DOT, ADR, IMDG, IATA Void · Environmental hazards: Not applicable. · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	· DOT, ADR, ADN, IMDG, IATA	Void
· DOT, ADR, ADN, IMDG, IATA · Void · Class Void · Packing group · Void · DOT, ADR, IMDG, IATA Void · Environmental hazards: Not applicable. · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		Void
Class Void Packing group Void DOT, ADR, IMDG, IATA Void Environmental hazards: Not applicable. Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	 Transport hazard class(es) 	
· DOT, ADR, IMDG, IATA Void · Environmental hazards: Not applicable. · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		Void
Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		Void
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	· Environmental hazards:	Not applicable.
MARPOL73/78 and the IBC Code Not applicable.	· Special precautions for user	Not applicable.
• Transport/Additional information: Not dangerous according to the above specifications.	• •	
	· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation": Void	· UN "Model Regulation":	Void

(Contd. on page 9)



Page 9/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

(Contd. of page 8)

Sar	a
	tion 355 (extremely hazardous substances):
Nor	ne of the ingredients is listed.
	tion 313 (specific toxic chemical listings):
Nor	ne of the ingredients is listed.
TSO	CA (Toxic Substances Control Act):
All i	ngredients are listed.
Haz	ardous Air Pollutants
Nor	ne of the ingredients is listed.
Pro	position 65
Che	emicals known to cause cancer:
Nor	ne of the ingredients is listed.
Che	emicals known to cause reproductive toxicity for females:
Nor	ne of the ingredients is listed.
Che	emicals known to cause reproductive toxicity for males:
Nor	ne of the ingredients is listed.
Che	emicals known to cause developmental toxicity:
Nor	ne of the ingredients is listed.
Nev	v Jersey Right-to-Know List:
CAS	S: 78-96-6 1-aminopropan-2-ol
CAS	S: 57-55-6 1,2-propanediol
Nev	v Jersey Special Hazardous Substance List:
Nor	ne of the ingredients is listed.
Per	nsylvania Right-to-Know List:
	S: 78-96-6 1-aminopropan-2-ol
CAS	S: 57-55-6 1,2-propanediol
	nsylvania Special Hazardous Substance List:
Nor	ne of the ingredients is listed.
	A (Environmental Protection Agency)
Nor	ne of the ingredients is listed.
TL\	/ (Threshold Limit Value established by ACGIH)
Nor	ne of the ingredients is listed.
NIC	SH-Ca (National Institute for Occupational Safety and Health)
	ne of the ingredients is listed.
Oth Ple	ional regulations er regulations, limitations and prohibitive regulations ase note:
date	e information herein is presented in good faith and believed to be accurate as of the effective e shown above. However, no warranty, express or implied is given. Regulatory requirements a ject to change and may differ from one location to another. It is the buyers responsibility to



Page 10/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/11/2020

Reviewed on 03/11/2020

Trade name: Sigma Intense

(Contd. of page 9) ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations. **Other information:** The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/11/2020 / 4.00

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 * * Data compared to the previous version altered. US