

Safety Data Sheet acc. to OSHA HCS



Printing date 11/06/2019

Reviewed on 11/06/2019

1 Identification

- **Product identifier**
- **Trade name: Mega Forte**
- **Application of the substance / the mixture**
Laundry
Detergent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
- **Information department:**
CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Acute Tox. 4 H302 Harmful if swallowed.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labeling:**
sodium metasilicate, pentahydrate
isotridecanol, ethoxylated
benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
- **Hazard statements**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: **Mega Forte**

(Contd. of page 1)

- **Precautionary statements**

- P260 Do not breathe dust.
- P280 Wear protective gloves / eye protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **CAS-No. Components:**

CAS: 497-19-8	sodium carbonate	15 – 40%
CAS: 10213-79-3	sodium metasilicate, pentahydrate	15 – 40%
CAS: 69011-36-5	isotridecanol, ethoxylated	1 – 5%
CAS: 68411-30-3	benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	1 – 5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**

- **General information**

- Remove casualties from exposure.
- Keep unprotected persons away.
- Immediately remove any clothing soiled by the product.

- **After inhalation** Supply fresh air; consult doctor in case of complaints.

- **After skin contact**

- Immediately rinse with water.
- Seek medical treatment.

- **After eye contact**

- Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing**

- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed**

- Causes severe skin burns and eye damage.
- May cause respiratory irritation.

(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** No further relevant information available.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
Avoid formation of dust.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Keep away from heat and direct sunlight.
Prevent formation of dust.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.

(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 3)

- Unsuitable material for receptacle: aluminium.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
 - Protect from heat and direct sunlight.
 - Store in cool, dry conditions in well sealed receptacles.
 - Protect from humidity and water.
 - Time of storage: max. 24 month
- **Specific end use(s)** Laundry

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 - The usual precautionary measures for handling chemicals should be followed.
 - Do not eat, drink, smoke or sniff while working.
 - Vacuum clean contaminated clothing. Do not blow or brush off contamination.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - Do not inhale dust / smoke / mist.
- **Breathing equipment:** By formation of dust: dust mask
- **Protection of hands:**
 - Protective gloves.
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
 - Nitrile rubber, NBR
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

US

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 4)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Powder

Color: White

· **Odor:** Product specific

· **Odor threshold:** No further relevant information available.

· **pH-value (10 g/l) at 20 °C (68 °F):** ~ 11.4

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: not applicable

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** No further relevant information available.

· **Ignition temperature:** No further relevant information available.

· **Decomposition temperature:** No further relevant information available.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: No further relevant information available.

Upper: No further relevant information available.

· **Oxidizing properties** No further relevant information available.

· **Vapor pressure:** No further relevant information available.

· **Density:** Not determined

· **Bulk density at 20 °C (68 °F):** ~ 970 kg/m³

· **Relative density** No further relevant information available.

· **Vapor density** No further relevant information available.

· **Evaporation rate** No further relevant information available.

· **Solubility in / Miscibility with**

Water: Easily soluble

· **Partition coefficient (n-octanol/water):** No further relevant information available.

· **Viscosity:**

dynamic: No further relevant information available.

kinematic: No further relevant information available.

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 5)

- **Chemical stability**
Stable under normal ambient conditions.
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Reacts with acids
Corrodes aluminium
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Acids
Certain metals
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	> 1,685 – 2,155 mg/kg (rat)
Dermal	LD50	> 26,249 mg/kg
Inhalative	LC50 (4h)	> 5,571 mg/l (rat)

CAS: 497-19-8 sodium carbonate

Oral	LD50	2,800 mg/kg (rat)
------	------	-------------------

CAS: 10213-79-3 sodium metasilicate, pentahydrate

Oral	LD50	1,152 – 1,349 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rat)
Inhalative	LC50	> 2,060 mg/m ³ (rat)

CAS: 69011-36-5 isotridecanol, ethoxylated

Oral	LD50	> 300 – 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

CAS: 68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Oral	LD50	1,080 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 6)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Specific target organ toxicity – single exposure** May cause respiratory irritation.

· **Specific target organ toxicity – repeated exposure**

Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 497-19-8 sodium carbonate

LC50 300 mg/l (Fish) (96 h; *Lepomis macrochirus*)

200 mg/l (Aquatic invertebrates) (48 h; *Ceriodaphnia* sp.)

CAS: 10213-79-3 sodium metasilicate, pentahydrate

EC50 1,700 mg/l (Aquatic invertebrates) (48 h; *Daphnia magna*)

LC50 210 mg/l (Fish) (96 h; *Brachydanio rerio*)

CAS: 69011-36-5 isotridecanol, ethoxylated

EC50 > 1 – 10 mg/l (Aquatic invertebrates) (48 h; *Daphnia magna*; OECD 202)

LC50 > 1 – 10 mg/l (Fish) (96 h; *Cyprinus carpio*; OECD 203)

EC10 > 1 – 10 mg/l (Aquatic plants, algae) (72 h; *Desmodemus subspicatus*; OECD 201)

NOEC 2.5 mg/l (Aquatic invertebrates) (21 d; *Daphnia magna*; OECD 211)

CAS: 68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

EC50 10 – 100 mg/l (Aquatic plants, algae) (96 h; *Pseudokircheneriella subcaptitata*)

LC50 1 – 10 mg/l (Fish) (96 h; *Lepomis macrochirus*)

1 – 10 mg/l (Aquatic invertebrates) (48 h; *Daphnia*)

NOEC 3.1 mg/l (Aquatic plants, algae) (15 d; *Chlorella kessleri*)

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte



(Contd. of page 7)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA 	<p style="text-align: center;">UN3262</p>
<ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG, IATA 	<p>Corrosive solid, basic, inorganic, n.o.s. (Disodium trioxosilicate)</p> <p>3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)</p> <p>CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
<ul style="list-style-type: none"> · ADR 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class 	<p>8 (C6) Corrosive substances</p>

(Contd. on page 9)


Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 8)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 9)

· **Section 313 (specific toxic chemical listings):**

CAS: 7758-29-4 pentasodium triphosphate

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

None of the ingredients is listed.

· **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

· **Pennsylvania Right-to-Know List:**

CAS: 7758-29-4 pentasodium triphosphate

· **Pennsylvania Special Hazardous Substance List:**

CAS: 7758-29-4 pentasodium triphosphate

E

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· **Other information:** The product has been designed for professional use only.

US

(Contd. on page 11)



The fresher company.

Page 11/11

Safety Data Sheet acc. to OSHA HCS

Printing date 11/06/2019

Reviewed on 11/06/2019

Trade name: Mega Forte

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 11/06/2019 / 4.00

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * **Data compared to the previous version altered.**

US