Safety Data Sheet GHS-Compliant

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements



PRODUCT IDENTITY	G. G. A. Gl. at D. C. D. A. H
Crystal Aqua Chlorinating Solution	Safety Data Sheet Revision Date - January 20, 2021
Section 1 - Identification	
Product Name	Cas #
Sodium Hypochlorite	7681-52-9
Synonym	Chemical Formula
Chlorinator	NaOCl
Chemical Name	Chemical Family
Sodium Hypochlorite	Inorganic Halogen Compound
Product Use	
Water treatment (chlorination)	
Manufacturer/Supplier Name	Address
Bison Laboratories, Inc.	100 Leslie Street, Buffalo, NY 14211-1621
General Information	Country
1-716-895-2707	USA
Emergency Telephone	Transportation Emergency Number
1-716-895-2707	CHEMTREC 1-800-424-9300

Section 2 - Hazards Identification

CHC	Classification	n•
(TII.7)	CHASSILICATIO	

HEALTH		PHYSICAL	
Skin corrosion/irritation -	Category 1	Corrosive to metals -	Category 1
Serious eye damage/eye irritation -	Category 1		
Specific target organ toxicity, single exp	osure -	ENVIRONMENTAL HAZARI	DS
Category 3 respiratory tract irritation		Hazardous to the aquatic environr	nent, acute hazard -
		Category 1	
		Hazardous to the aquatic environr	nent, long-term hazard -
		Category 2	

GHS Label Elements:

SYMBOLS: corrosive, irritant, hazardous to the aquatic environment







Signal Word: DANGER

Section 2 - Hazards Identification (continued)

GHS Label:	n			
Hazard Statements	-	tatements (continued)		
May be corrosive to metals. Causes severe skin burns	immediately all contaminated clothing. Rinse skin with			
and eye damage. May cause respiratory irritation.	water/shower. If in eyes: Rinse cautiously with water for			
Very toxic to aquatic life. Toxic to aquatic life with long		several minutes. Remove contact lenses if present and easy		
lasting effects.		g. Immediately call a poison center/		
		doctor. Wash contaminated clothing before reuse. Absorb		
Precautionary Statements	spillage to prevent ma	terial damage. Collect spillage.		
Prevention - Wear protective gloves/protective clothing/		well-ventilated place. Keep container		
eye protection/face protection. Do not breathe mist or	<u> </u>	ocked up. Store in corrosive		
vapor. Use only outdoors or in a well-ventilated area.		th a resistant inner liner.		
Wash thoroughly after handling. Keep only in original	Disposal - Dispose of	of contents/container in accordance		
container. Avoid release to the environment.	with local/regional/na	tional/international regulations.		
Response - If swallowed: Rinse mouth. Do NOT induce				
vomiting. If inhaled: Remove person to fresh air and keep				
comfortable for breathing. If on skin or hair: Take off				
Section 3 - Composition/Information on Ing	gredients			
Component Description	Percent	CAS#		
Sodium Hypochlorite	5 - 17	7681-52-9		
Sodium Hydroxide	0.10 - 4.25	1310-73-2		
Section 4 - First Aid Measures				
General				
Ensure that medical personnel are aware of the material	l(s) involved, and take	precautions to protect themselves		
Show this Safety Data Sheet to the doctor in attendance		precautions to protect themserves.		
Show this Safety Data Sheet to the doctor in attendance	·•			
T114'				
Inhalation				
Move to fresh air. Call a physician if symptoms develo	p or persist.			

Section 4 - First Aid Measures (continued)

Eve Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin Contact

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15 - 20 minutes. Get medical attention immediately. Wash contaminated clothing before reuse. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get in the lungs.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Chemical burns: flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. With eye exposure, continue flushing during transport to hospital.

Most important symptoms/effects, acute and delayed

Corrosive effects. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Permanent eye damage including blindness could result.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Method

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet, as this will spread the fire. Do not use dry extinguishing media that contains ammonium compounds.

Specific and/or Unusual Fire and Explosion Hazards

During fire, gases hazardous to health may be formed. No unusual fore or explosion hazards noted.

Special Firefighting Procedures

In case of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see Section 8 of the SDS.

Environmental Precautions

Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

Section 6 - Accidental Release Measures (continued)

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear appropriate personal protective equipment. Do not get in eyes, on skin or clothing. Use with adequate ventilation. Observe good industrial hygiene practices. Do not apply heat or direct sunlight. Temperature and product concentration affect product quality and decomposition rates.

Conditions for Safe Storage

Keep container tightly closed. Store in a cool and well ventilated place. Store in a corrosive resistant container.

Consult container manufacturer for additional guidance.

Precautions to be Taken in Handling and Storage

Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents and all metals except titanium.

Section 8 - Exposure Controls / Personal Protection

EXPOSURE LIMITS

Substance	PEL	STEL	CEILING
sodium hydroxide (CAS 1310-73-2)	2 mg/m3	2 mg/m3	2 mg/m3
sodium hypochlorite (CAS 7681-52-9)		2 mg/m3	

N/D - No Data Available C = Ceiling Level

Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Skin Protection

Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. FRC treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific information about their products.

Eye Protection

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

		cal and Chemica	I Propertie	
Boiling Po				Specific Gravity
	230° F (110° C)			1.22
	essure (mm H			Freezing Point
12 mm Hg (20° C / 68° F) -3° to -14° F (-19.4° to -25.6° C)				
	nsity (AIR = 1)	1)		Density
not availa				9.9 - 10.5 lbs/gallon
Solubility				
	ly miscible			
	ce and Odor			
clear, col	orless to yel	low liquid with chara	cteristic blead	ch odor
Section	10 - Stab	ility and Reactiv	ity	
Stability	Unstable	Condition	ns to Avoid	
				ible materials. Avoid ultraviolet (UV) light sources.
	Stable	Excessiv	e heat. Reacts	s violently with strong acids. Acid contact will produce
		chlorine	gas. Amine co	ontact will produce chloramines.
_	bility (Materi			
Strong ox	kidizing age	nts		
Acids				
Metals				
Organic o	compounds			
Ammonia				
	_	ion or By-Products		
none kno	wn			
				_
Hazardous		May Occur		Conditions to Avoid
Polymeriza	tion	Will not Occur	X	

Section 11 - Toxicology Information

Route(s) of Exposure	Inhalation?	Skin?	Ingestion?
	Yes	Yes	Yes

Health Hazards (Acute and Chronic)

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Vapors and spray mist may irritate throat and respiratory system and cause coughing. Causes skin and eye burns.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

Corrosive effects. Symptoms may include stinging, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result.

Toxicology

Sodium Hypochlorite 5 - 17% (CAS mixture)

Dermal (Rabbit) LD50 >2 g/kg Oral (Rat) LD50 3 - 5 g/kg

Mutagenic Effects

No data available to indicate product or any components present at >0.1% are mutagenic or genotoxic.

Section 12 - Ecological Information

Ecological Toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Product		Species	Test Results	
Sodium Hypoch	alorite 5 - 17% (CAS	mixture)		_
Aquatic				
Crustacea	LC50	Daphnia	1 mg/l	_
Fish	LC50	Bluegill (Lepomis	Macrochirus) 0.6 mg/l, 48 hours	_

Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13 - Disposal Considerations

Disposal instructions - Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as a hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/ container in accordance with local/regional/national/international regulations.

Hazard Waste Code - The waste code should be assigned in discussion between the use, the producer and the waste disposal company.

Section 13 - Disposal Considerations (continued)

Waste from residues/unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues.

This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14 - Transportation Information

1 / 1	T	ana 1.2 mallama an laga
14.1	inside contain	ers 1.3 gallons or less.

14.1.1	DOT Classification:	Shipped as a limited	quantity per	49 CFR 173.154(b)
--------	----------------------------	----------------------	--------------	-------------------

- 14.1.2 **DOT Hazard Class:**
- 14.1.3 **Marking:**
- 14.1.4 **Marine Pollutant:** Not listed in Appendix B of the Hazardous Material Table
- 14.1.5 **Deposit Container** RESIDUE: LAST CONTAINED CONSUMER COMMODITY ORM-D, PGIII

14.2 Inside containers or single containers exceeding 1.3 gallons.

- 14.2.1 **DOT Classification:** Hypochlorite Solutions
- 14.2.2 **DOT Hazard Class:** 8, UN1791, PGIII
- 14.2.3 **Label:** Corrosive 8
- 14.2.4 **Deposit Container** RESIDUE: LAST CONTAINED, UN1791, **Returns:** HYPOCHLORITE SOLUTIONS, 8, PGIII
- 14.3 **Reportable Quantity (RQ):** 100 lb (45.4 kg) or 80 gallons (based on 12.5% active ingredient)

Section 15 - Regulatory Information

U. S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

Sodium Hydroxide	CAS 1310-73-2	Listed
Sodium Hypochlorite	CAS 7681-52-9	Listed

Toxic Substances Control Act (TSCA):

Not regulated

US OSHA Specifically Regulated Substances (29 CFR 1910.1001 - 1050)

Not listed

Safe Drinking Water Act (SDWA):

Not regulated

Clean Air Act (CAA):

Not regulated

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

Immediate hazard - yes. Delayed hazard - no, Fire hazard - no, Pressure hazard - no, Reactivity hazard - no.

SARA 302 - not listed. SARA 311/312 Hazard Chemical - yes. SARA 313 (TRI Reporting) - not regulated.

California Safe Drinking Wa		1:-4-1	1	. 4
This material is not known to c	ontain any chemicals currently	listed as carcino	gens or reproductive	toxins.
Rhode Island Right to Know	Act:			
Chemical Name:	Sodium Hydroxide	CAS#	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS #	7681-52-9	
New Jersey Right to Know A	ct:			
Chemical Name:	Sodium Hydroxide	CAS#	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS#	7681-52-9	
Massachusetts Right to Know	w Act Substance List (MSL):			
Chemical Name:	Sodium Hydroxide	CAS#	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS#	7681-52-9	
Pennsylvania Right to Know	Act Hazardous Substance Li	ist:		
Chemical Name:	Sodium Hydroxide	CAS#	1310-73-2	
Chemical Name:	Sodium Hypochlorite	CAS#	7681-52-9	
nternational Inventories				
Country(s) or Region	Inventory Name			On Inventory (yes/ne
Australia	Australian Inventory of Chemica	l Substances (AICS	5)	Yes
Canada	Domestic Substances List (DSL)			Yes
Canada	Non-Domestic Substances List (NDSL)		No	
China	Inventory of Existing Chemical Substances in China (IECSC)			Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)			S) Yes
Europe	European List of Notified Chemical Substances (ELINCS)			No
apan	Inventory of Existing and New Chemical Substances (ENCS)			Yes
Korea	Existing Chemicals List (ECL)			Yes
New Zealand	New Zealand Inventory			Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)			Yes
Jnited States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory			Yes
<u> </u>	on (Workplace Hazardous M	aterials Inform	nation System):	
Classification: E (Corrosive M				
-	nis chemical: E - corrosive to si		lass 8 - corrosive sub	stance
ngredient Disclosure List: inc	luded for disclosure at 1% or g	reater		_

Section 16 - Other Information				
National Fire Protection Association	(NFPA) Ratings:			
Health Rating - 3	Flammability Rating - 0	Reactivity Rating - 1		
Hazardous Material Identification S	· ·			
Health Rating - 3	Flammability Rating - 0	Reactivity Rating - 1		
Disclaimer of Liability				
		s believed to be correct. This information		
should be used to make an indep	pendent determination of the meth	ods of safeguard workers and the		
environment.				
Prepared	by Bison Laboratories, Inc., 10	0 Leslie Street, Buffalo, NY 14211		