CleanTech

SAFETY DATA SHEET

Date Prepared: 1/13/2015

SDS No: E-119

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EZ-GO **GENERAL USE:** Cleaner

PRODUCT DESCRIPTION: All Purpose Cleaner

PRODUCT CODE: JBKEYZYM

CHEMICAL FAMILY: Solvent/detergent blend

MANUFACTURER

Cleantech Solutions 2750 Kenmore Avenue Tonawanda, New York 14150 Emergency Phone: 716-854-2889 24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC (Medical and Transportation): 800-535-5053

2. HAZARDSIDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Irritation, Category 3 Eye Irritation, Category 2B

GHS LABEL

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

H316: Causes mild skin irritation.

H303: May be harmful if swallowed.

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash thoroughly after handling.

P234: Keep only in original container.

Response:

P301+P330+P331: IFSWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON ŒNTER or doctor/phys ician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with local, state and federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear liquid

IMMEDIATE CONCERNS: Moderate eye ir ritant.

POTENTIAL HEALTH EFFECTS

EYES: Contact causes eye irritation.

SKIN: May be mildly irritating with prolonged or repeated contact. **SKIN ABSORPTION:** No known significant effects or critical hazards.

INGESTION: Harmful if swallowed.

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: No known significant effects or critical hazards.

CARCINOGENICITY: No known significant effects or critical hazards. **MUTAGENICITY:** No known significant effects or critical hazards.

ROUTES OF ENTRY: Eye, skin, ingestion.
WARNING CAUTION LABELS: Irritant
PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Nonylphenol Ethoxylate	0 - 15	9016-45-9
Monopropylene Glycol	0 - 20	57-55-6
Triethanolamine	0-3	00102-71-6
Water	60 - 80	7732-18-5
Fragrance	< 1	N/A

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact len ses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tears, redness.

SKIN: Redness and itching sensation.

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: Irritating to eyes, mild skin irritation.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: None

EXTINGUISHING MEDIA: Not required. **EXPLOSION HAZARDS:** None

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include: Carbon dioxide, Carbon monoxide, nitrogen oxides.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil. **AIR SPILL**: NA = Not Applicable

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

RELEASE NOTES: Not Established

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities

STORAGE: Store in closed container in an area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures. **STORAGE PRESSURE**: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

EXPOSURE GUIDELINES							
OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA	PEL	ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Monopropylene Glycol	TWA						
Triethanolamine - SEE BELOW -							

Exposure Limit Values: Triethanolamine (102-71-6) - 5mg/m3 PEL California

Diethanolamine (111-42-2) 3ppm TWA; 15MG/m3 TWA Connecticut, Michigan, Minnesota, OSHA, Tennessee, Vermont, Washington

0.46ppm PEL; 2 mg/m3 PEL - California

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields. **SKIN:** Rubber or other chemical resistant gloves.

RESPIRATORY: Where danger of mist contact may occur, wear NIOSH approved respiratory protection for mists.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: None

ODOR THRESHOLD: Not Established

COLOR: Clear **pH**: 5.0 - 7.0

PERCENT VOLATILE: >98

FLASH POINT AND METHOD: None

FLAMMABLE LIMITS: N/A

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: ~ 20 mm Hg at (68°F)

VAPOR DENSITY: $\sim 1 \text{ Air} = 1$

BOILING POINT: 212 ° F; 100 ° C

FREEZING POINT: 32°F; 0°C

SOLUBILITY IN WATER: Complete

EVAPORATION RATE: (Water = 1) 1.0

DENSITY: 8.35 at (20°F)

SPECIFIC GRAVITY: 1.001 grams/ml. at (20°F)

VISCOSITY: Water thin. (VOC): 2.360 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: None

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Not Established

HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.

INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORALLD ₅₀ (rat)	DERMAL LD 50 (rabbit)	INHALATION LC ₅₀ (rat)
Nonylphenol Ethoxylate	16000 mg/kg (rat)	4490 mg/kg (rabbit)	
Monopropylene Glycol	>2000 mg/kg (rat)	> 2000 mg/kg (rabbit)	
Triethanolamine	6400 mg/kg (rat)	>2000 mg/kg (rabbit)	0.2.mg/l

EYES: Causes eye irritation.

DERMAL LD 50: > 2000 Not Established

ORAL LD 50: > 5000 Not Established

INHALATION LC 50: Not Established

EYE EFFECTS: Mild to moderate eye irritant.

SKIN EFFECTS: Moderate skin irritant.

CARCINOGENICITY

IARC: No listed substance

CORROSIVITY: NA = Not Applicable

GENETIC EFFECTS: No known significant effects or critical hazards.

REPRODUCTIVE EFFECTS: No known significant effects or critical hazards.

TARGET ORGANS: No known significant effects or critical hazards. **MUTAGENICITY:** No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: This material may be toxic to aquatic life.

AQUATIC TOXICITY (ACUTE): Not Established

CHEMICAL FATE INFORMATION: This product is biodegradable.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Although not a hazardous waste, the discarding or disposal of this material should be done at a prope permitted facility in accordance with the regulations 40CFR 262, 263, 264, and 268. Additionally, the discarding or disposal of

rly

this material may be further regulated by state, regional, or local regulations.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated.

PLACARDS: None LABEL: None

U.S. CUSTOMS HARMONIZATION NUMBER:

AIR (ICAO/IATA)

SHIPPING NAME: Not regulated.

VESSEL (IMO/IMDG)

SHIPPING NAME: Not regulated.

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION

CERCLA: Diethanolamine (111-42-2) 100 lb RQ

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: No listed substance

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: No listed substance

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical In ventory.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements			
Nonylphenol Ethoxylate	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance			
Triethanolamine (102-71-6) Diethanolamine (111-42-2) <0.01%	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance			

CALIFORNIA PROPOSITION 65: Diethanolamine (111-42-2) < 0.01%

CARCINOGEN: No listed substance


16. OTHER INFORMATION

Date Prepared: 1/13/2015

HMIS RATING



NFPA CODES



NFPA_	Health Hazards 2	Flammability	0	Instability 0	Physical and chemical
					hazards COR
HMIS	Health hazard 2	Flammability	0	Physical Hazards 0	Personal protection C

Prepared By Emulso Corporation

2750 Kenmore Avenue Tonawanda, New York 14150

Issuing date 10-Jan-2014
Revision Date 03-Nov-2014
Revision Note

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet